



Stocklist Q1 2025

The largest Stockholders  
of Steel Tubes in the UK

**85,000**  
TONNES IN STOCK!

**CST**  
CLEVELAND STEEL & TUBES LTD



## VALUE ENGINEERED SOLUTION

**Buying surplus stock to fulfil your project requirements saves you money, time and carbon.**

Our unrivalled volume of surplus stock enables customers to design projects with immediately available stock, often in close alternative sizes. This allows them to deliver their project on time whilst keeping material costs low.

**Talk to us and find out more about how we can support your project.**

**01845 577789**

**Established for 50 years**  
Continuity | Service | Trust

**CAN YOU UTILISE ANY**

**OF THE FOLLOWING?**

**762X38.1MM**

**457X25MM**

**406X19.1MM**

We have excess quantities in these specific sizes that can be priced to support your project.

Design your job around our existing stocks.

**REDUCE CARBON | REDUCE MATERIAL COSTS | REDUCE LEAD TIME**

# Contents



- P5** Introduction
- P7** Sustainability in steel reuse - the facts and figures
- P9** Over 50 years of global distribution
- P10** Bespoke services
- P12** Our terms of business
- P14** Uncertified - 47,000 tonnes of stock in this edition
- P34** Certified - 38,000 tonnes of stock in this edition
- P35** Comparison guide

# Introduction

**Established in 1973, we are one of the largest stockholders of steel tubes in Europe with approximately 85,000 tonnes of material held at our facility in North Yorkshire, UK.**

---

We are proud to be founder members of the multinational Bianco Group, with associate companies worldwide. This means you have access to over 250,000 tonnes of material held in stock.

Our business is based on supplying our customers with steel tubes that meet their requirements at highly competitive prices. Depending on the source and conditions of purchase, our stock is divided into two broad categories, Uncertified (Non Prime) and Certified.

---

## **Uncertified (Non Prime) - page 14** **Certified - page 34**

Please note this stock list now lists all products by outside diameter (OD mm) and the different certified grades are listed in the end column. Our stock profile includes 45% of certified material, complementing our more cost-effective uncertified material, which can always be issued with independent test reports based on your needs.



**40,000 FT<sup>2</sup>**

**WELDING AND FABRICATION FACILITY**

**220,000 FT<sup>2</sup>**

**OF WAREHOUSING**

**10,000 FT<sup>2</sup>**

**PAINTING FACILITY**

**85,000 TONNES**

**OF TUBES IN STOCK**

**100 ACRE**

**FACILITY**

# Sustainability in steel reuse

We are committed to working with our clients to offer a sustainable solution. Our business model has synergies with the circular economy principles, offering our clients full benefits associated with the reuse of unused and surplus material.

- **Big Carbon Savings – Up To 96% carbon savings** can be demonstrated when you opt to use surplus steel. You can download the LCA research from our website. We can contribute towards the reduction of the carbon impact of your project. The majority of our pipe is sourced from oil field surplus production. Re-purposing this pipe offers your project a reduced carbon footprint, which can be incorporated within the BREEAM/LEED assessment for large scope projects.
- **Reduced Lead Times** – We understand the urgency at times to obtain material quickly. With this in mind we hold 85,000 tonnes in stock at our facility in North Yorkshire and offer a full range of services to provide a finished item.
- **Reduced Material Costs** – Surplus pipe is available at highly competitive prices compared to certified pipe. This offers our clients a cost effective engineering solution.
- **Reuse of steel has significant carbon savings versus new production.**

UP TO  
96%

CARBON SAVINGS

REDUCED LEAD TIMES

85,000  
TONNES  
IN STOCK



# REDUCE CARBON REDUCE MATERIAL COSTS REDUCE LEAD TIME

All possible when you purchase  
repurposed steel tube from  
Cleveland Steel & Tubes.

We hold 85,000 tonnes of stock to help  
you achieve a greener, quicker and cost  
effective solution for your project.

Follow the link below to our  
sustainability page to find out more:

[cleveland-steel.com/sustainability](https://cleveland-steel.com/sustainability)



# 50 years of global distribution

**HIGHLY  
EXPERIENCED  
EXPORT TEAMS**



## Highly experienced exports teams continue to supply customers and their projects in:

Angola | Antarctica | Australia | Austria | Belgium | Canada | Colombia | Cyprus | Czech Republic | Denmark | Falkland Islands | Finland | France | Germany | Gibraltar | Greece | Holland | Hong Kong | Hungary | India | Israel | Italy | Malta | Mauritius | Mexico | Morocco | Namibia | Nigeria | Norway | Panama | Poland | Portugal | Romania | Sierra Leone | Singapore | Slovenia | Spain | Sweden | Switzerland | Turkey | USA | West Indies



# Bespoke services

**Our on-site services include: cutting, welding and fabrication, shot blasting, painting, worldwide logistics and storage facilities.**

Whilst our stock is kept in random lengths, generally from 4.5m up to about 15m, you have the option of having shorter lengths or extended with circumferential welds.

**Cutting** – We currently operate **5 automatic band saws**. Following recent investment in a new saw, we can now saw cut tubes up to **1280mm OD**, and we can flame cut tubes up to **2500mm OD**. Our standard saw cutting tolerances are **+/-3mm** up to **762mm OD**, and **+/-5mm** up to **1280mm**. For flame cutting **0/+15mm**. These are our standard tolerances, it is possible to have closer tolerances across our range by prior agreement.

**Welding and fabrication** – Employing fully coded, highly experienced welders, we routinely produce and deliver extended lengths up to **30m** long. We have produced lengths exceeding **50m** in the past. Copies of our procedures are available on request or we may be able to work to your procedures by special arrangement.



**Testing** – If you need confirmation of the properties of any of our material, we can always provide certification by independent testing and analysis before despatch.

**Shot blasting and coating** – We have two automatic shot blasting machines with up to **1m diameter** capacity. Larger sizes can be manually blasted if required. Our paint spraying capabilities give you the option of having your orders shot blasted and coated before they leave our works. We hold stocks of the most commonly specified paints.

**Traceability** – Although mill certificates are not available with uncertified products, you may want to know some of the properties of our material. Through our unique pipe numbering system, all of our stock can be traced to source. We record all details our suppliers give to us and can often pass this data on to you but without warranty.

Please note for testing we use UKAS approved independent laboratories. If customers require third party inspection and validation we will be pleased to help you arrange it.



# Our terms of business

## Payment terms

For customers who buy regularly, we offer monthly credit terms, subject to satisfactory checks and conditions. You can download an application form from our website as well as find our terms and conditions. Alternatively payment can be made by either credit or debit cards, or by bank transfer.

## Order charge

Please note, we operate a minimum order of £500.00 per size ordered ex works from our Dalton site.

## Transport

You can choose the best transport method to suit your requirement ranging from an economical part-load delivery when we are next in your area or next day delivery on dedicated trucks when time is of the essence.

## Collection

You can save carriage collecting your orders from our works which are open: **Monday to Thursday 08:00 to 16:00 and Friday 08:00 to 14:00.**

**We will continue to service our customers and have implemented a number of on-site procedures to protect our workforce and visiting drivers.**



# Delivering steel tube nationwide for 50 years



**47,000**  
**TONNES OF UNCERTIFIED STOCK**  
**IN THIS SECTION!**



# Uncertified

Uncertified material does not have the benefits of mill certification to qualify the properties.

**This information can be provided by independent testing if necessary and at an additional cost.**

If you are keen to work with a supplier to create value engineering, we are here to discuss options and the suitability our range of pipes can offer. Consideration of this material can allow you to significantly reduce costs compared to traditional Certified supplies and it will show your commitment in creating economic, environmental and social value.

Our Uncertified range includes mills' over-rollings and second quality material together with unused surplus stock from completed projects and redundant stock where certification may have existed but where traceability is no longer available.

## UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
21	2.6	1.2	2010
	3.6	1.5	2702
27	2.8	1.7	894
	4	2.3	4290
34	3.2	2.4	127
	3.6	2.7	1044
	4.5	3.3	34
36	2	1.7	4107
42	3.2	3.1	360
	3.6	3.4	658
	4	3.7	897
	4.5	4.2	417
	5	4.6	1699
44	5	4.8	2082
48	3	3.3	942
	3.6	3.9	1908

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
48	4	4.3	779
	5	5.3	772
60	2.9	4.1	1302
	3.2	4.5	2939
	3.6	5.0	852
	4	5.5	1074
	4.5	6.2	1089
	5.5	7.4	4831
	6.3	8.3	353
	7.1	9.3	331
64	2.6	3.9	24
	4	5.9	12
	4.5	6.6	14
	5	7.3	42
67	5	7.6	82
68	5.5	8.5	159

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
68	6	9.2	80
70	2.6	4.3	222
	4.5	7.3	22
	5	8.0	27
	5.5	8.7	141
	6.3	9.9	1493
73	7.1	11.5	916
76	2.6	4.7	372
	3.2	5.7	61
	3.6	6.4	1689
	4	7.1	547
	5	8.8	17
82	5	9.5	400
89	3.2	6.8	720
	4.5	9.4	23
	5	10.4	451

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
89	5.5	11.3	924
	6	12.3	194
	6.3	12.8	1630
	7.1	14.3	775
	7.5	15.1	563
	8	16.0	143
	11.1	21.3	81
	12	22.8	197
	12.7	23.9	36
	14.3	26.3	3
	15.1	27.5	16
	17.5	30.9	37
	20.6	34.7	5
95	5.5	12.1	84
	12.7	25.8	5
	16	31.2	5

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
102	8.5	19.6	309
	22.2	43.7	16
108	8	19.7	21
	25.4	51.7	5
114	3.2	8.7	3074
	3.6	9.8	107
	4	10.9	28
	4.5	12.2	21
	5	13.4	1873
	5.5	14.7	842
	6	16.0	85
	6.3	16.7	102
	7.1	18.7	330
	7.3	19.2	2725
8	20.9	69	
8.5	22.1	227	

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	
114	9.5	24.5	500	
	11.1	28.2	351	
	12	30.2	279	
	17.5	41.6	39	
	20.6	47.4	6	
121	22.2	50.3	49	
	30	62.1	15	
	3	8.7	403	
	4	11.5	49	
	8	22.3	131	
	12.7	33.9	278	
	19.1	48.0	7	
	22.2	54.1	3	
	124	11.1	30.9	67
	127	10	28.9	61
127	12.7	35.8	12	

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
127	16	43.8	5
	30	71.8	5
133	19.1	53.6	5
	22.2	60.7	5
140	3	10.1	22
	3.2	10.8	75
	3.6	12.1	80
	4	13.4	11
	4.5	15.0	44
	5	16.6	3632
	5.5	18.2	6
	6.3	20.8	649
	7.1	23.3	15
	16	48.9	12
19.1	56.9	5	
25.4	71.8	21	



# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
146	10	33.5	264
	12.7	41.7	17
	19.1	59.8	5
	28.6	82.8	5
152	19.1	62.6	5
159	5	19.0	580
165	4.5	17.8	51
	5	19.7	289
	12.7	47.7	68
168	4.5	18.1	89
	5	20.1	1264
	5.5	22.0	18
	6	24.0	35
	6.3	25.1	104
	6.5	25.9	131
	7.1	28.2	201

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
168	8	31.6	180
	9	35.3	41
	9.5	37.1	789
	10	39.0	29
	10.5	40.8	36
	11.1	42.9	1121
	12	46.2	19
	12.7	48.6	340
	16	60.0	34
	19.1	70.1	3
	25.4	89.3	55
	30	102.1	239
	178	5	21.3
194	5.5	23.4	27
	10	41.4	19
	4	18.7	889

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
194	4.5	21.0	411
	5	23.3	757
	5.5	25.6	1371
	6.3	29.2	4730
	7.1	32.7	233
	8	36.7	4103
	9.5	43.2	4220
	10	45.4	544
	11.1	50.1	23
	12	53.9	409
	12.7	56.8	1339
	19.1	82.4	11
	25.4	105.6	144
	28.6	116.7	11
30	121.3	5	
31.8	127.2	5	

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
203	20.6	92.7	7
219	4.5	23.8	84
	5	26.4	806
	5.5	29.0	348
	6	31.5	116
	6.3	33.0	3239
	6.7	35.1	74
	7.1	37.1	691
	7.5	39.1	128
	8	41.6	2739
	8.9	46.1	385
	9	46.6	229
	9.5	49.1	196
	10	51.5	2558
	10.5	54.0	319
	11.1	56.9	273

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
219	12	61.3	162
	12.5	63.7	460
	12.7	64.6	690
	14.3	72.2	4253
	15.1	75.9	86
	16	80.1	5242
	17.5	87.0	3
	18.3	90.6	63
	19.1	94.2	3
	23	111.2	6
	28.6	134.3	32
	30	139.8	12
	31.8	146.8	10
	35	158.8	124
229	10	54.0	28
	13.5	71.7	5

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
229	17.5	91.3	3
	18.3	95.1	3
	19.1	98.9	5
	40	186.4	7
244	5	29.5	4239
	5.5	32.3	890
	6	35.2	660
	6.3	36.9	3923
	7.1	41.5	655
	8	46.6	2133
	8.9	51.6	3253
	9	52.2	2854
	10	57.7	6056
	11.1	63.8	424
	12	68.7	181
	12.7	72.4	907

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
244	13.5	76.7	923
	14.3	81.0	701
	16	90.0	1614
	19.1	105.9	5
	25.4	136.9	6
	35	180.4	39
251	16	92.7	54
254	3	18.6	12
	17.5	102.1	3
	50.8	254.6	3
273	4	26.5	24
	4.5	29.8	31
	5	33.0	535
	5.5	36.3	1322
	6	39.5	65
	6.3	41.4	1259

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
273	6.5	42.7	979
	7.1	46.6	314
	7.5	49.1	28
	8	52.3	930
	8.8	57.3	263
	9	58.6	631
	9.3	60.5	1058
	9.5	61.7	402
	10	64.9	4567
	11.1	71.7	7153
	12	77.2	441
	12.5	80.3	1106
	12.7	81.5	2955
	13.5	86.4	459
	14	89.4	34
	14.3	91.2	1875

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
273	15.1	96.0	44
	15.3	97.2	349
	16	101.4	996
	17.5	110.3	76
	18.3	114.9	116
	19.1	119.6	114
	20.6	128.2	15
	21.4	132.8	5
	22.2	137.3	61
	23.8	146.3	48
	25.4	155.1	195
273	28.6	172.4	20
	30	179.8	9
	31.8	189.1	10
	38.1	220.7	66
	42.2	240.2	164

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
273	43.7	247.1	11
	44.5	250.7	34
	50.8	278.4	7
279	8	53.5	145
	10	66.3	167
	12.7	83.4	196
	16	103.8	123
280	14.3	93.7	172
286	30.2	190.5	12
292	20.6	137.9	7
298	13.5	94.7	61
	19.1	131.4	19
	30	198.3	3
	35	227.0	3
	38.1	244.2	5
311	20.6	147.5	12

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
314	22.8	163.7	12
324	5	39.3	978
	5.5	43.2	1412
	6	47.1	37
	6.3	49.4	1747
	6.5	50.9	382
	7.1	55.5	1056
	8	62.3	546
	8.4	65.4	976
	8.7	67.6	41
	9	69.9	33
	9.5	73.7	1371
	10	77.4	821
	11.1	85.6	142
12	92.3	86	
12.5	96.0	636	

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
324	12.7	97.5	1557
	14.3	109.2	2393
	15.1	115.0	2528
	15.8	120.1	111
	15.9	120.8	1366
	16	121.5	3979
	17.5	132.3	6342
	19.1	143.6	9
	25.4	187.0	37
	27	197.7	25
324	28.6	208.3	5
	31.8	229.1	36
	33.3	238.7	14
	35	249.4	57
	38.1	268.6	65
	44.5	306.7	24

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
324	50.8	342.2	3
330	6.3	50.3	773
	7.1	56.5	510
	8	63.5	654
	8.5	67.4	90
	10	78.9	248
	11.1	87.3	17
	12.7	99.4	139
	14.3	111.3	23
	16	123.9	727
	28.6	212.6	3
	42.2	299.5	22
340	8.5	69.5	24
	9.5	77.4	1221
	10.5	85.3	41
	11.1	90.0	60

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
340	12	97.1	305
	12.2	98.6	801
	12.7	102.5	4405
	16	127.8	67
	35	263.2	27
346	16	130.2	54
349	14.3	118.0	12
356	5	43.3	935
	5.5	47.5	1031
	6	51.8	162
	6.3	54.3	1812
	7.1	61.1	344
	7.5	64.5	106
	8	68.7	134
	8.7	74.5	25
	9	77.0	18

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
356	9.5	81.2	156
	10	85.3	149
	10.3	87.8	24
	11.1	94.4	23
	12	101.8	9
	12.5	105.9	237
	12.7	107.5	56
	14.3	120.5	38
	15.9	133.4	44
	16	134.2	4134
	17.5	146.1	50
	18.3	152.4	7
	19.1	158.7	183
	20	165.7	9
	20.6	170.4	4013
	25.4	207.1	38

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
356	31.8	254.2	27
	35.7	282.0	173
	38.1	298.7	59
	50.8	382.3	3
	65	466.4	279
359	27.6	225.6	11
362	70	504.1	15
368	80	568.2	3
372	75	549.3	29
377	58	456.3	3
394	20.5	188.8	821
	22.2	203.5	12
	41.2	358.4	11
	44.5	383.5	3
406	5	49.4	8366
	5.5	54.3	1100

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
406	6	59.2	274
	6.3	62.1	4200
	7.1	69.8	3662
	7.5	73.7	42
	7.9	77.6	1850
	8	78.5	3525
	8.5	83.3	44
	8.8	86.2	2074
	9	88.1	159
	9.5	92.9	5843
	10	97.7	1658
	10.3	100.5	555
	11.1	108.1	4675
	11.9	115.7	343
	12	116.6	87
12.5	121.3	414	

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
406	12.7	123.2	1633
	14.3	138.1	349
	15.1	145.6	17
	16	153.9	614
	16.7	160.3	5770
	17.5	167.7	384
	18	172.2	1995
	19.1	182.2	3116
	20.6	195.8	18
	21	199.4	472
	21.4	203.0	33
	22.2	210.1	173
24	226.1	100	
25.4	238.4	22	
28.6	266.2	5	
30.9	285.8	5	

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
409	19.1	183.6	827	457	6	66.7	69	457	12.7	139.1	833
413	16	156.6	18		6.3	70.0	1940		13.5	147.6	551
	19.1	185.5	395		6.5	72.2	179		14	152.9	34
	20.6	199.3	5		7.1	78.8	477		14.3	156.1	6684
416	25	241.1	1139		7.2	79.9	1535		15.9	173.0	2990
417	28.6	273.9	31		8	88.6	654		16	174.0	393
419	18.3	180.8	23		8.2	90.8	187		19.1	206.3	220
	25.4	246.5	10		8.3	91.8	889		20.3	218.6	5826
	30	287.8	30		8.5	94.0	535		20.6	221.7	14
425	20.6	205.4	5		8.7	96.2	368		22.2	238.0	13
	25.4	250.3	34		9	99.4	118		23.8	254.2	45
426	30.4	296.6	11		9.5	104.8	1291		25.4	270.3	4058
432	11.5	119.2	1406		10	110.2	737		26.6	282.3	1527
	12	124.3	1692		11.1	122.1	573		27	286.3	165
457	5	55.7	590		12	131.7	482		28.3	299.2	256
	5.5	61.2	697		12.4	136.0	89		28.6	302.1	511

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
457	30.5	320.8	18
	31.8	333.4	1207
	33.5	349.9	35
	38.1	393.6	16
	45	457.2	6
461	27.3	292.0	11
464	14.3	158.6	221
	27	291.0	286
469	15.2	170.1	141
	30	324.8	21
473	11.1	126.4	6890
	12.7	144.2	91
	15.2	171.6	12
476	37.4	404.5	97
477	19.1	215.7	26
489	25.4	290.4	3

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
489	29.5	334.3	113
	33	371.1	8
495	10.5	125.5	12
508	5.5	68.2	126
	6	74.3	24
	6.3	77.9	2053
	7.1	87.7	2471
	7.3	90.1	25
	7.5	92.6	13
	7.9	97.4	39
	8	98.6	417
	8.7	107.1	397
	8.8	108.3	298
508	9	110.7	261
	9.5	116.8	12779
	10	122.8	1647

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
508	10.3	126.4	29
	10.5	128.8	195
	11.1	136.0	6163
	12	146.8	87
	12.5	152.7	835
	12.7	155.1	1173
	13.5	164.6	18
	14	170.5	36
	14.3	174.1	357
	15.1	183.5	1014
508	15.9	192.9	1638
	16	194.1	12892
	17.5	211.7	654
	18	217.5	104
	18.3	221.0	68
508	19.1	230.3	860



# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
508	20	240.7	12
	20.6	247.6	822
	22.2	266.0	68
	25.4	302.3	236
	26.2	311.3	16
	27	320.3	108
	27.8	329.2	48
	28.6	338.1	31
	29.1	343.7	185
	29.6	349.2	23
	30.7	361.3	209
	31.5	370.1	95
	31.8	373.4	38
	34.4	401.8	24
	35	408.2	3
	35.4	412.6	9

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
508	38.1	441.5	7
	50.8	572.7	5
512	21.4	258.9	9
514	19.1	233.1	11
	20.6	250.6	15
	22.2	269.2	912
518	20.6	252.7	171
521	50.8	589.0	3
524	25.4	312.3	39
	27	330.9	645
533	19.1	242.0	304
	31.8	393.0	16
559	9.5	128.7	13
	10	135.4	53
	10.3	139.4	215
	14.3	192.1	651

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
559	20.6	273.5	99
	25.4	334.2	2354
	31.8	413.4	163
	38.1	489.4	36
	50.8	636.6	3
565	22.2	297.2	120
569	13	178.2	152
571	27	362.2	37
584	60	775.3	3
603	30	423.9	3
	38.1	530.7	20
610	7.1	105.6	37
	8	118.8	252
	9.5	140.7	113
	10	148.0	5
	10.5	155.2	9

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
610	11.1	163.9	105
	12.7	187.1	15
	14.3	210.1	10
	15.9	232.9	132
	16	234.4	787
	17.5	255.7	535
	17.8	259.9	142
	18.3	267.0	20
	19.1	278.3	47
	20	291.0	3
	22.2	321.8	77
	22.8	330.2	11
	25.4	366.2	360
	28.6	410.0	12
	29.6	423.7	5
	30	429.1	235

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
610	31.8	453.4	13
	34.9	495.0	10
	35	496.3	39
	36.5	516.2	326
	38.1	537.3	63
	50.8	700.5	3
	57.2	779.8	3
614	22.2	324.0	68
618	19.4	286.4	7
620	10.5	157.8	14
625	30	440.2	7
635	50.8	731.8	3
649	44	656.4	3
	45	670.3	3
655	27	418.1	57
660	7.1	114.3	9

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
660	8	128.6	28
	8.7	139.7	822
	10.3	165.0	100
	10.5	168.2	432
	11.1	177.6	6090
	12.7	202.7	9
	15.9	252.5	353
	16	254.1	496
	17.6	278.8	48
	19.1	301.9	72
	25.4	397.5	208
	28.6	445.3	36
	29.5	458.7	106
	31.8	492.6	15
	33.3	514.6	12
	37.1	569.9	80

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
660	38.1	584.3	600
667	22.2	353.0	36
675	10.3	168.8	18
679	28.6	458.7	62
686	13	215.8	182
705	25.4	425.7	24
711	6.3	109.5	672
	10	172.9	5
	19.1	325.9	2576
	20.6	350.7	11
	25.4	429.4	384
	37.2	618.1	131
718	10.5	183.2	12
	19.1	329.2	9
719	10	174.8	8
720	20.1	346.9	307

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
730	14	247.2	17
740	26.2	461.2	39
743	31.7	556.0	3
744	26.8	474.0	559
749	29.5	523.4	804
750	36	633.9	3
752	21	378.6	11
	31.8	564.8	77
757	33.6	599.4	192
762	6.3	117.4	232
	8.5	157.9	5
	10	185.4	37
	11.1	205.5	1094
	12	221.9	5
	12.5	231.0	39
	16	294.3	79

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
762	16.7	306.9	7
	17.5	321.3	2997
	18.3	335.6	35
	19.1	349.9	36
	20.4	373.1	3
	20.6	376.6	50
	22.2	405.0	15
	23.8	433.3	142
	25.4	461.4	802
	28.6	517.2	30
	31.8	572.6	15
	38.1	680.1	2363
	42.2	749.1	3
767	19.7	363.0	3
770	22.6	416.5	12
771	28.6	523.6	60

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
772	25.7	473.0	105
775	22.2	412.1	31
	25.4	469.5	27
	28.6	526.4	36
	32.4	593.3	13
783	10	190.6	9
787	32.9	611.8	369
794	16	307.0	3
800	28.6	544.0	3
	30	569.6	5
805	20.6	398.5	9
	26.1	501.3	1452
807	19.1	371.1	158
813	7.1	141.1	423
	8.8	174.5	5
	9.5	188.2	5

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
813	10	198.0	9
	11.1	219.5	10
	12	237.0	58
	14.3	281.7	770
	15.9	312.5	3
	19.1	373.9	40
	20	391.1	3
	20.6	402.5	3
	22.2	432.9	11
	25.4	493.3	26
	28.6	553.2	5
	35.6	682.5	15
	38.1	728.1	11
	39	744.4	64
	40	762.5	11
820	10	199.7	179

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
825	12	240.6	33
833	32	632.1	24
864	14.3	299.6	22
885	42.5	883.0	116
889	12.7	274.4	3
	25.4	540.9	11
898	22.2	479.5	15
900	17.5	380.8	5
	19.1	414.9	3
	25.4	547.8	3
	30	643.6	3
908	27	586.6	55
914	8	178.7	251
	9	200.9	211
	9.5	211.9	54
	10	222.9	7

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
914	11.5	255.9	14
	12	266.9	62
	12.7	282.3	55
	13.5	299.8	16
	14.3	317.3	120
	16	354.3	34
	17.1	378.2	18
	17.5	386.9	202
	19.1	421.5	33
	19.9	438.8	18
	20.6	453.8	17
	20.9	460.3	12
	22.2	488.2	35
	22.9	503.2	116
	25.4	556.6	1173
	27.2	594.8	31

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
914	28.6	624.5	20
	30.1	656.1	12
	30.5	664.5	5
	31.8	691.8	9
	38.1	822.9	1769
	38.5	831.2	11
	40	862.1	11
	40.8	878.6	60
	44.5	954.2	27
	50.8	1081.4	786
916	14.2	315.8	192
	14.3	318.0	17
921	11.1	249.1	51
	15.1	337.3	11
	23.8	526.6	7
	25.4	561.0	54

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
921	30	659.2	5
924	12.2	274.3	3
925	27.2	602.2	12
927	12	270.8	9
	19.6	438.6	43
933	31.1	691.7	24
940	44.5	982.7	6
952	25.4	580.4	51
965	30.1	693.9	11
1000	20.6	497.5	3
1016	12	297.1	3
	13	321.5	13
	14.3	353.2	429
	15.1	372.7	3
	16	394.6	58
	19.1	469.5	7

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
1016	22.2	544.1	3
1020	18.3	452.0	11
1027	29	713.7	3
1029	13.5	338.1	23
	28.6	705.6	3
1059	15.1	388.7	20
1064	13.3	344.6	27
1067	12	312.2	3
	12.7	330.2	35
	13.5	350.7	66
	14.3	371.2	2395
	14.7	381.5	159
	15.1	391.7	29
	15.7	407.0	57
	16	414.7	31
	17.5	452.9	94

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
1067	18.3	473.3	26
	18.8	486.0	18
	19.1	493.6	167
	20	516.4	5
	20.6	531.6	7
	21.5	554.3	11
	22.2	572.0	14
	23.5	604.7	12
	25.4	652.4	62
	27.1	695.0	12
	31.8	811.8	21
	44.5	1122.1	6
1070	12.7	331.1	43
	27.2	699.5	78
1074	29.1	749.8	24
1079	12.7	333.9	11

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
1079	13.5	354.7	6
	19.1	499.2	11
	22.2	578.5	9
	31.8	821.2	3
1080	34	877.0	7
1081	32.3	835.3	8
1083	33.3	862.0	46
1084	22.2	581.3	97
	34.1	882.9	308
1088	35.9	931.4	19
1090	26.5	695.0	12
1092	12.7	338.0	11
	16	424.5	3
1096	40	1041.6	12
1103	43.5	1136.5	23
1105	12.7	342.1	12

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
1105	45	1176.3	18
1112	23.3	625.5	12
1114	24	645.1	3
	50.8	1331.9	9
1117	50.6	1330.6	10
1118	12.7	346.2	92
	14.3	389.2	91
	17	461.6	9
	17.5	474.9	105
	20.6	557.5	253
	22.2	599.9	82
	23.8	642.2	187
	25.4	684.4	5
	27	726.4	83
	28	752.6	11
	184	4238.0	34

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
1125	54	1426.2	6
1134	34	922.3	128
1150	15.1	422.6	24
1156	14.3	402.6	9
1168	9	257.2	7
	9.5	271.4	5
	11.8	336.4	5
	14.3	406.8	183
	16	454.5	23
1198	15	437.6	78
1219	9.5	283.3	9
	14.3	424.8	3
	15.9	471.7	74
	16	474.7	24
	17.5	518.5	1160
	18.3	541.8	79

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
1219	19.1	565.2	11
	20.6	608.8	6
	21	620.4	57
	21.2	626.2	33
	22.2	655.2	35
	23.2	684.1	35
	23.8	701.5	59
	25.4	747.6	10
	26.4	776.4	27
	28.6	839.6	40
	30.9	905.3	19
	50.8	1463.4	6
	57.2	1638.8	3
1220	27	794.3	5
1222	34.5	1010.3	87
1229	22.2	660.7	16

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
1232	18.3	547.7	6
1236	25.4	758.3	39
	27	805.0	14
1237	18.5	555.9	20
1240	25.4	760.8	11
1245	16	484.9	24
	22.2	669.4	12
	63.5	1850.1	17
1253	15.6	476.0	32
1264	15.8	486.3	69
1270	100	2885.2	3
1321	9.8	316.9	59
	10.3	332.9	9
	25.4	811.5	3
1337	16.8	546.9	9
1354	17	560.5	19

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
1397	12	409.8	7
1400	18	613.4	9
1420	16	554.0	291
	16.8	581.3	3
1422	12.7	441.4	3
	14.3	496.4	9
	16.4	568.5	13
	17.5	606.1	12
	18.3	633.5	23
	19.1	660.8	15
	22.2	766.3	151
	23	793.5	16
	23.7	817.2	22
	25.4	874.8	51
	28.6	982.7	17
1432	18.3	638.0	31

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
1438	29.8	1034.8	12
1473	18.3	656.5	42
1524	22.2	822.2	13
	63.5	2287.0	3
	82.6	2936.0	12
1676	57.2	2283.4	3
1727	38.2	1590.9	5
1829	35	1548.4	9
	50.8	2227.6	3
1845	20	900.1	9
1895	22.2	1025.3	7
2170	15.5	823.5	28
2500	16	980.1	116





# **WE BUY** **SURPLUS** **STEEL TUBE** **STOCK**

CST has 50 years experience of successfully sourcing material from across the globe.

Speak directly with our purchasing manager:

[steve@cleveland-steel.com](mailto:steve@cleveland-steel.com)

+44 (0) 1845 577789



# Certified

**Our Certified or Prime stock is material we have purchased complete with the producer's test certification.**

This material is typically purchased directly from the steel producers or from sources that can provide traceability between the material and the certification supplied.

Mill certificates will confirm the chemical analysis and mechanical properties of the material, depending on the specification to which the product was originally manufactured – not all properties are shown on mill certification. However, we are able to arrange for supplementary independent testing to show any additional requirements you may need to know.

**38,000**  
**TONNES OF CERTIFIED STOCK**  
**IN THIS SECTION!**

# Comparison guide

A general comparison guide: API 5L steel grades vs Euronorm structural steel grades.

## American (API) Specifications

API Grades	Yield	Tensile	BS/EN Grades
Gr. B	241	413	S235
X42	289	413	S275
X46	317	434	
X52	359	455	S355
X56	386	489	
X60	413	517	S420
X65	448	531	S460
X70	482	565	
X80	551	620	

## European (BS/EN) Specifications

BS/EN Grades	Yield	Tensile	API Grades
S185	175	290	
S235	225	340	Gr. B
S275	265	410	X42
S355	345	490	X52
S420	400	520	X60
S460	440	550	X65

In general the API 5L grades listed tend to have chemical analysis and mechanical property requirements that are equal to or better than the minimum requirements of the comparable Euronorm structural steel grades shown. **Independent Tests carried out by a UKAS approved laboratory can verify this.**

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
27	4	2.3	30	A106
32	4.5	3.1	24	A106
34	2.5	1.9	448	S235
48	2.5	2.8	457	S235
	3.2	3.5	2339	S355
60	2.9	4.1	330	S235
	3	4.2	720	S235
	3.2	4.5	330	S235
	4	5.5	67	L360,X52
	5.5	7.4	340	X52,X42
	8.5	10.8	19	X52
	11.1	13.4	691	X65
	13.5	15.5	198	X52
67	8	11.6	9	ST52
70	6.3	9.9	19	ST52
76	2.5	4.5	30	S235

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
82	19.1	29.6	7	ST52
89	6	12.3	7713	S355
	7.6	15.3	172	X52,A333/6,S355
	8	16.0	3	S355
	15.1	27.5	130	X52,X42
	15.2	27.7	229	X52
	17.5	30.9	49	S355
95	19.1	35.7	7	S355
102	6	14.2	376	X52,S355
114	8	20.9	12	S355
	8.5	22.1	40	L360
	17.1	40.9	254	X52
	17.5	41.6	160	A106,X52,S355
	22.2	50.3	30	S355
118	19	46.4	38	S355
140	3	10.1	33	S235

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
141	19.1	57.4	280	X52
168	6.3	25.1	24	S355
	11.1	42.9	12096	X65
	28.6	98.3	9	A333/6
178	12.7	51.8	23	S355
184	25.4	99.3	176	ASTM519
194	10	45.4	29	A500
	28.6	116.7	5	S355
219	5	26.4	51	S355
	5.6	29.5	74	L360
	6	31.5	16	S355
	6.3	33.0	660	X52, L245, L450, S355
	7	36.6	147	L360
	7.1	37.1	40	L360, X52
	8	41.6	768	X52, S355
	8.2	42.6	34	X52

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
219	9.5	49.1	384	A252, S355
	10	51.5	1121	S355, S235, S355
	11.1	56.9	79	X52
	12	61.3	1856	A252
	12.5	63.7	298	S355, S460, S420
	12.7	64.6	5	S355
	14.2	71.7	11	S355
	14.3	72.2	20	S355
	16	80.1	62	X52, S355
244	8	46.6	87	Gr, B
	8.9	51.6	8	J55
	9	52.2	28	J55
	9.5	54.9	11	S355
	10	57.7	277	J55, S235
	14.3	81.0	17	S355
	16	90.0	48	S355

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
273	4	26.5	100	S355
	5	33.0	25	S355
	5.4	35.6	931	L450
	6	39.5	16	S355
	6.3	41.4	819	S355, X65, L415, X60
	8	52.3	15	S355
	9	58.6	24	J55
	9.3	60.5	175	X52
	9.5	61.7	27	L450
	10	64.9	267	S460, J55, S355
	11.1	71.7	8523	X65
	12.5	80.3	658	S355, S460, S420
	12.7	81.5	75	X65
	13.5	86.4	196	X60
	14	89.4	25	L450
	14.2	90.6	40	S355

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
273	14.3	91.2	1407	L450, L360
	15.1	96.0	934	L450
	16	101.4	28	S355, X65
	19.1	119.6	15	X52
	25.4	155.1	3	X65
	30	179.8	6	S355
311	12.5	92.0	21	ST52
324	6	47.1	144	S355
	6.3	49.4	477	S355, X52
	7.1	55.5	338	L360, S355, X52
	8	62.3	988	S355, S355
	8.4	65.4	34	L450, X65
	9.5	73.7	420	X52, S355, S460, L360
	10	77.4	58	S355, L360
	10.3	79.7	180	X60
	11	84.9	11	X52

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
324	11.1	85.6	56	L360, X52
	12.5	96.0	290	S460, S355
	12.7	97.5	819	Gr, B, X65, L360
	14.3	109.2	607	X60, L450, S355
	15.8	120.1	204	X52
	15.9	120.8	1660	X52, L450, Gr, B, X65
	16	121.5	628	X52, S355, L360
	17.5	132.3	607	X52, L450
	19.1	143.6	13	L450
	30	217.5	14	X52
	33.3	238.7	11	X52
340	8.5	69.5	9	J55
	9.5	77.4	30	J55
	10.5	85.3	26	J55
	11.1	90.0	9	J55
	12	97.1	32	J55

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
340	12.5	101.0	769	S355
356	5	43.3	16	S355
	6	51.8	156	S355
	6.3	54.3	858	S355, L450
	7.1	61.1	309	L450
	8	68.7	248	S355
	9.5	81.2	22	L450
	10	85.3	63	S355
	10.3	87.8	644	L360
	12.5	105.9	255	S355
	15.9	133.4	17	L450
	16	134.2	1343	X52, S420, S355, L450
	17.5	146.1	11	L450
	19.1	158.7	11705	X65
	20.6	170.4	7	X52
	23.8	195.0	35	A333/6

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
356	25.4	207.1	12	S355G10
368	80	568.2	9	S355
400	14.3	136.0	47	X60
406	5	49.4	163	S355
	6.3	62.1	250	S355
	7.5	73.7	1076	X65, A252
	7.9	77.6	169	L360, L450
	8	78.5	947	A252, S355
	8.7	85.2	65	X42, L360
	8.8	86.2	870	S355, X65, L415
	9.5	92.9	558	X60, L360, X65, S355
	10	97.7	26	S355, X52
	10.3	100.5	234	Gr, B, X60
	11.1	108.1	921	L360, Gr, B
	11.9	115.7	738	L360
	12.5	121.3	775	A252, S355, S460

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
406	12.7	123.2	330	X52, X65, S355
	13.8	133.5	51	X65
	14	135.3	9	S355
	14.2	137.2	325	S355, S460
	14.3	138.1	344	L450, X65
	16	153.9	432	S460, S355, X52, S355G10
	17.5	167.7	21	L450, S355
	18	172.2	468	X65
	19.1	182.2	669	L450, X65, X52
	21.4	203.0	9	A333/6
	22.2	210.1	6	X65
	30	278.2	12	S355
	30.9	285.8	60	A333/6, L360
409	19.1	183.6	891	L450
419	25.4	246.5	3	S355
	30	287.8	6	S355



Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
419	60	531.2	3	S355
439	14.3	149.8	479	X65
448	24	250.9	19	X65
457	6	66.7	303	S355, S420
	6.3	70.0	196	X42, Gr, B, S355
	7.1	78.8	62	X60
	8.7	96.2	112	X65, X52, Gr, B
	10	110.2	29	S355, X70
	11.1	122.1	799	X60, X52, L415
	12.4	136.0	193	S355, EP450, S420
	12.7	139.1	60	S355, X52, L450, X60
	13.5	147.6	69	L450, X65
	14	152.9	251	EP450, X65
	14.3	156.1	130	X60, X52, X65
	15.9	173.0	5	L415
	16	174.0	206	S355, L415

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
457	19.1	206.3	197	X65, X52, X60
	20.3	218.6	1334	X52, L415, L450
	20.6	221.7	24	L415
	23.8	254.2	27	X65
	25.4	270.3	2309	X65, L450, S355, X60
	26.6	282.3	2169	X65
	28.3	299.2	467	X65
	28.6	302.1	392	X65
	30.5	320.8	11	X65
	31.8	333.4	984	X65, X60, X52
	32	335.4	27	L485
	34.9	363.3	38	X42
460	30	318.1	20	X65
461	27.3	292.0	81	X65
464	16	176.8	82	X65
469	15.2	170.1	248	EP450

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
473	11.1	126.4	167	X56
477	19.1	215.7	101	X65
486	55	584.6	79	X70
508	6.3	77.9	224	S355,A252
	7.3	90.1	14	X65
	8	98.6	57	S355, Gr, B
	8.5	104.7	1407	X65
	8.7	107.1	9	X60
	9	110.7	7	X65
	9.5	116.8	25	A106, Gr, B, S460
	10	122.8	39	S355
	11	134.8	87	S355
	11.1	136.0	511	X56,X70,S355,L415
	11.2	137.2	232	X70
	12.5	152.7	625	S355,S460,S420
	12.7	155.1	355	X52,L245,X56

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
508	14	170.5	27	X70
	14.3	174.1	35	L360,S355
	15	182.4	26	X70
	15.1	183.5	215	S460
	15.9	192.9	1380	X65,L450,X52,X56
	16	194.1	19	S355
	17.5	211.7	408	L360,X65
	18	217.5	266	X56
	18.3	221.0	26	X56
	19.1	230.3	83	X80,X70,X56
	19.5	234.9	23	X56
	20	240.7	9	X52
	20.6	247.6	73	Gr, B, X65, X80, L360
	22.2	266.0	120	L360
	22.3	267.1	487	X65
	25.4	302.3	9	X52

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
508	26.2	311.3	37	X52, A333/6
	27.8	329.2	11	L450
	29.1	343.7	1210	X65
	29.6	349.2	11	L450
	30	353.6	9	X52
	30.7	361.3	196	L450
	35	408.2	15	L485, L450
	35.4	412.6	96	L450
	38.1	441.5	11	L450, A333/6
511	19.1	231.7	77	X65
514	22.2	269.2	896	X65, X56
	33	391.4	3	X65
524	20.6	255.7	103	X65
527	20.6	257.2	232	X65
530	8	103.0	114	S355, S235
	50.8	600.3	3	S355

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
533	25.4	317.9	6	X52
	31.8	393.0	59	X65, X56
559	10.3	139.4	131	L415
	14.3	192.1	332	L415
	16	214.2	293	X56, X52
	25.4	334.2	501	X60
	31.8	413.4	111	L485, X52
	38.1	489.4	75	X56
569	13	178.2	791	L450, DNV450
575	22	300.0	78	L450
584	60	775.3	3	S355
610	9	133.4	1102	A252-3
	9.5	140.7	242	X52, S355
	11.3	166.8	59	X65, L415
	12.7	187.1	18	S355, S420
	14	205.8	498	X60, Gr, B

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
610	14.3	210.1	68	X60, L415
	14.5	212.9	130	X65, L450
	14.6	214.4	48	S420
	15.9	232.9	401	L415, X52, S355G10
	17.5	255.7	86	S420, X46
	17.8	259.9	47	X70
	19.1	278.3	96	S355, L415, X52, S355G10
	24.6	355.1	50	A671
	25.4	366.2	3	DNV450
	30	429.1	440	L450, S355, DNV450
	30.9	441.3	3	A333/6
	31.8	453.4	6	X65, X56, DNV450
	34.9	495.0	14	X65
	36.5	516.2	102	X65
	38.1	537.3	3	X56
	46	639.8	6	A333/6

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
630	8	122.7	53	S355
	9	137.8	35	S355
	10	152.9	3	S355
	12	182.9	3	S355
655	27	418.1	126	L450
660	6.3	101.6	3	X65
	7.1	114.3	5	X65
	8	128.6	20	X70
	8.7	139.7	17	L485
	9.5	152.4	25	S420
	10.3	165.0	3501	X65
	11.1	177.6	231	L415
	11.7	187.0	67	X70, L485
	15.9	252.5	113	L415
	16	254.1	24	L415
	17.5	277.3	9	X46, X70

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
660	17.6	278.8	293	L450
	19.1	301.9	44	L450,X56
	25	391.5	233	S355
	31.8	492.6	3	X56
667	22.2	353.0	12	L450
679	28.6	458.7	31	L450
711	10.3	178.0	288	X60
	17.5	299.3	5	L485
	19.1	325.9	6	S420
720	8	140.5	1039	S355,S420,S460,X60
	9	157.8	179	S355,S420
	10	175.1	15	S355,S420
	12	209.5	18	S355
	15	260.8	9	S420
	18	311.6	12	S460
	730	14	247.2	82

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
743	27.4	483.5	570	X65
744	26.8	474.0	44	X65
749	29.5	523.4	87	X65
750	31	549.6	661	X65
757	33.6	599.4	215	X65
761	35.5	635.1	27	X65
762	8	148.7	1678	S235/FE
	9.5	176.3	23	X52,S355,S420
	10	185.4	814	L485
	10.3	190.9	264	X60
	11.1	205.5	8	X70
	11.4	211.0	3	S420
	12.5	231.0	87	L485
	14.3	263.7	22	L450,X60,L415
	15.9	292.5	3	X70
	16	294.3	58	S355,S355,X65,X46

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
762	17.5	321.3	42	L450, S355
	18	330.2	36	X70
	18.3	335.6	24	X60
	19.1	349.9	7	S275
	20	366.0	81	X65, L450, S355
	20.4	373.1	9	X65
	20.6	376.6	27	X65
	21.5	392.6	19	L450, DNV450
	22	401.5	11	S420
	25.4	461.4	15	X65, X52
	38.1	680.1	1267	S355MH, X56, X70, X65
	42.2	749.1	36	A516/65
768	22.2	408.3	12	X60
775	22.6	419.3	12	X65
	25.4	469.5	35	X65
783	10	190.6	24	L360

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
784	31.7	588.1	21	X65
786	48	873.6	9	X65
787	32.9	611.8	211	X65
794	16	307.0	6	X60
807	19.1	371.1	1801	L485
813	5	99.6	96	S235
	8.7	172.6	12	X65
	9.5	188.2	12	S355
	10.3	203.9	252	X60
	14	275.8	48	X70
	14.2	279.7	55	L450
	14.3	281.7	7	L450
	19.1	373.9	269	S420, X65, X60, L485
	20	391.1	533	L450, X46
	20.6	402.5	71	S355
	22.2	432.9	328	L485

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
813	22.5	438.6	13	L485
	23.8	463.2	238	S420, X65
	25.4	493.3	3	X52
	28.6	553.2	71	S355
	39	744.4	1241	X65, L450
820	8	160.2	6	X60
	9	180.0	113	S420, S355
	10	199.7	756	S420, A252, S355
	12	239.1	9	S355
	25.4	497.7	54	L450
825	28	550.3	35	L485
833	32	632.1	38	L485
849	40	798.0	33	L485
864	12.5	262.5	180	L415
	12.7	266.6	8	X60
	14.3	299.6	21	L450

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
864	16	334.6	5	X60
885	42.5	883.0	75	X65
914	10.3	229.5	228	X60
	11.9	264.7	408	X65, Gr, B
	12	266.9	1387	L485
	12.7	282.3	3	X42
	13.1	291.0	83	X70
	13.5	299.8	60	S460
	13.6	302.0	16	X70
	14.2	315.1	544	L485
	14.3	317.3	204	S420, X70, L485
	15.9	352.1	11	Gr, B
	16	354.3	12	S355
	16.8	371.7	966	X70
	16.9	373.9	3	X65
17.5	386.9	376	L485	

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
914	17.8	393.4	25	X70
	18	397.7	13	X70
	19.1	421.5	328	S460, L415, X60, X70
	19.5	430.1	12	S420, X70
	19.9	438.8	148	L450
	20.2	445.2	16	S355, L485
	20.6	453.8	99	L450, X65, X70, L485
	20.9	460.3	21	X65
	22.2	488.2	132	S420, L485
	22.9	503.2	12	S355
	25.4	556.6	66	X52, S355, L485
	27.2	594.8	47	L450, X65
	28.6	624.5	3	X65
	28.9	630.8	503	X65
	30.5	664.5	542	X65
	35	758.7	220	L485

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
914	38.1	822.9	231	X56, X65
	38.5	831.2	483	S355, L450
	44.4	952.1	53	X56
	44.5	954.2	12	X56
	50.8	1081.4	15	X56
921	23.8	526.6	289	DNV450, L485, L450
	34.5	754.2	12	X65
925	27.2	602.2	155	L450
927	19.6	438.6	16	L450
933	31.1	691.7	60	L450
1016	5	124.7	60	S235
	11	272.6	12	P235GH
	12.5	309.3	96	L415
	13	321.5	666	L485
	14.2	350.8	478	L485
	16	394.6	668	L485



Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
1016	16.9	416.4	11	S420
	20	491.2	42	L485
	25	611.0	156	X52
1020	10	249.1	6	S235
	22	541.4	5	S460
1067	8.7	227.0	6	S420
	10.3	268.4	3	S420
	11.4	296.8	3	X70
	12.3	319.9	57	X70
	12.5	325.0	144	L415
	12.7	330.2	46	X70, L290
	13.2	343.0	13	X70
	14.1	366.1	38	X65
	14.3	371.2	48	L415, X60
	15.1	391.7	75	X70
	15.6	404.5	7	X70

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
1067	15.9	412.1	16	X70
	17.5	452.9	57	X65, L290
	18	465.6	3	S355
	18.3	473.3	12	X70
	19.1	493.6	14	L450
1079	31.8	821.2	7	X65
1100	6.3	169.9	60	S355
1118	11.1	303.0	147	X65, S420
	12.7	346.2	464	X70, L485, S420
	14.3	389.2	929	X70, L485, S420
	17.5	474.9	371	X70, L485
	20.3	549.5	9	X60
	20.6	557.5	379	L485, X70
	22.2	599.9	228	L485, X70
22.6	610.5	9	X60	
	23.8	642.2	234	L485, X70

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
1118	27	726.4	76	X70, L485
1120	11.3	308.9	66	S355
1125	54	1426.2	11	X65
1156	13.6	383.1	69	L360
1168	9.5	271.4	28	S420
1198	15	437.6	9	L360
1205	18	526.9	5	S355
1219	8	238.9	3	S355
	10	298.1	255	S275
	13.8	410.1	590	S460
	14.2	421.9	24	L415
	15.9	471.7	141	S420
	16	474.7	11	X80
	17.5	518.5	306	L485, X70
	19.1	565.2	41	L450, X70
	20	591.3	216	S355

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
1219	20.6	608.8	276	X65
	21	620.4	12	L485
	21.2	626.2	5	X70
	21.8	643.6	210	L485
	22.2	655.2	38	X80, X70
	23.8	701.5	14	X65, X70
	24.7	727.5	19	X80
1220	13	386.9	3	S420
	15	445.7	7	S355
	16	475.1	32	S420
	17.8	527.7	107	S460
	19	562.7	45	S420
	21.2	626.7	78	S460
	24.6	725.2	3	S460
1222	34.6	1013.1	7	S460
1236	25.4	758.3	17	L450

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
1253	15.6	476.0	3	L415
1321	9.8	316.9	13	L485
	10.1	326.5	21	L485
1337	16.8	546.9	9	L360
1400	18	613.4	435	S355G7
	25	847.7	346	S355G7
1420	15.7	543.7	214	S460, S235
	16	554.0	321	S355
	16.8	581.3	11	S460
	18	622.3	12	S460
	18.7	646.2	61	X70, S460
	20	690.5	16	S355
	21.6	744.9	298	S460
	21.7	748.3	149	S460
	23	792.4	21	S460
	25.8	887.0	22	S460

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
1420	27.7	951.1	23	S460
	30	1028.3	33	S460
	32	1095.3	67	S460
	37.9	1291.7	12	S460
1422	16	554.8	24	X70
	16.4	568.5	156	X70
	17.5	606.1	302	X60
	19.5	674.4	22	S460
	19.6	677.8	12	X70
	21.8	752.7	560	S355, L450
	22.2	766.3	31	L450, X70, S460
	22.4	773.1	251	S460
	23.7	817.2	33	L450
1626	16.8	666.7	67	X70
	17	674.5	72	S355
	17.5	694.1	12	X60

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
1626	19	752.9	11	S355
1829	22	980.3	30	S355
	50.8	2227.6	66	S355
2032	22	1090.5	84	S355
	25	1237.3	21	X70
2134	22.2	1156.1	76	L355
	25.4	1320.8	57	L355
2235	22	1200.6	8	S355
	25	1362.5	204	S355
2250	32	1750.3	99	S355G7
2300	40	2229.3	7	S355



# Contact

Contact our experienced and knowledgeable team



## UK Sales Team

David Rodgers +44 (0) 1845 444187  
david.rodgers@cleveland-steel.com

Lucy Cree +44 (0) 1845 444196  
lucy@cleveland-steel.com

Tracey Ashton +44 (0) 1845 444172  
tracey@cleveland-steel.com

Denise Tribe +44 (0) 1845 444171  
denise@cleveland-steel.com

John Shea +44 (0) 1845 444174  
john@cleveland-steel.com

Simon Armit +44 (0) 1845 444195  
simon@cleveland-steel.com

## European & International Sales

James McBride +44 (0) 1845 444199  
james@cleveland-steel.com

## Purchasing

purchasing@cleveland-steel.com

## Business Development

busdev@cleveland-steel.com

## General enquiries

sales@cleveland-steel.com  
Tel: +44 (0) 1845 577789

*All stock information is correct at time of going to print. Always check with our sales team for current stock availability. Weight per linear metre is rounded to one decimal place.*

E&OE (Errors and omissions excepted).

## Cleveland Steel & Tubes Ltd

Dalton Industrial Estate, Thirsk,  
North Yorkshire, YO7 3JN, United Kingdom.

Telephone: +44 (0) 1845 577789

[cleveland-steel.com](http://cleveland-steel.com)

