



Stocklist Q2 2025

The largest Stockholders  
of Steel Tubes in the UK

**85,000**  
TONNES IN STOCK!

**CST**  
CLEVELAND STEEL & TUBES LTD



## VALUE ENGINEERED SOLUTION

**Buying surplus stock to fulfil your project requirements saves you money, time and carbon.**

Our unrivalled volume of surplus stock enables customers to design projects with immediately available stock, often in close alternative sizes. This allows them to deliver their project on time whilst keeping material costs low.

**Talk to us and find out more about how we can support your project.**

**01845 577789**

**Established for 50 years**  
Continuity | Service | Trust

**CAN YOU UTILISE ANY**

**OF THE FOLLOWING?**

**762X38.1MM**

**457X25MM**

**406X19.1MM**

We have excess quantities in these specific sizes that can be priced to support your project.

Design your job around our existing stocks.

**REDUCE CARBON | REDUCE MATERIAL COSTS | REDUCE LEAD TIME**

# Contents



- P5** Introduction
- P7** Sustainability in steel reuse - the facts and figures
- P9** Over 50 years of global distribution
- P10** Bespoke services
- P12** Our terms of business
- P14** Uncertified - 47,000 tonnes of stock in this edition
- P33** Certified - 38,000 tonnes of stock in this edition
- P34** Comparison guide

# Introduction

**Established in 1973, we are one of the largest stockholders of steel tubes in Europe with approximately 85,000 tonnes of material held at our facility in North Yorkshire, UK.**

---

We are proud to be founder members of the multinational Bianco Group, with associate companies worldwide. This means you have access to over 250,000 tonnes of material held in stock.

Our business is based on supplying our customers with steel tubes that meet their requirements at highly competitive prices. Depending on the source and conditions of purchase, our stock is divided into two broad categories, Uncertified (Non Prime) and Certified.

---

**Uncertified (Non Prime) - page 14**  
**Certified - page 33**

Please note this stock list now lists all products by outside diameter (OD mm) and the different certified grades are listed in the end column. Our stock profile includes 45% of certified material, complementing our more cost-effective uncertified material, which can always be issued with independent test reports based on your needs.



**40,000 FT<sup>2</sup>**

**WELDING AND FABRICATION FACILITY**

**220,000 FT<sup>2</sup>**

**OF WAREHOUSING**

**10,000 FT<sup>2</sup>**

**PAINTING FACILITY**

**85,000 TONNES**

**OF TUBES IN STOCK**

**100 ACRE**

**FACILITY**

# Sustainability in steel reuse

We are committed to working with our clients to offer a sustainable solution. Our business model has synergies with the circular economy principles, offering our clients full benefits associated with the reuse of unused and surplus material.

- **Big Carbon Savings – Up To 96% carbon savings** can be demonstrated when you opt to use surplus steel. You can download the LCA research from our website. We can contribute towards the reduction of the carbon impact of your project. The majority of our pipe is sourced from oil field surplus production. Re-purposing this pipe offers your project a reduced carbon footprint, which can be incorporated within the BREEAM/LEED assessment for large scope projects.
- **Reduced Lead Times** – We understand the urgency at times to obtain material quickly. With this in mind we hold 85,000 tonnes in stock at our facility in North Yorkshire and offer a full range of services to provide a finished item.
- **Reduced Material Costs** – Surplus pipe is available at highly competitive prices compared to certified pipe. This offers our clients a cost effective engineering solution.
- **Reuse of steel has significant carbon savings versus new production.**

UP TO  
96%

CARBON SAVINGS

REDUCED LEAD TIMES

85,000  
TONNES  
IN STOCK



# REDUCE CARBON REDUCE MATERIAL COSTS REDUCE LEAD TIME

All possible when you purchase  
repurposed steel tube from  
Cleveland Steel & Tubes.

We hold 85,000 tonnes of stock to help  
you achieve a greener, quicker and cost  
effective solution for your project.

Follow the link below to our  
sustainability page to find out more:

[cleveland-steel.com/sustainability](https://cleveland-steel.com/sustainability)



# 50 years of global distribution

**HIGHLY  
EXPERIENCED  
EXPORT TEAMS**



## Highly experienced exports teams continue to supply customers and their projects in:

Angola | Antarctica | Australia | Austria | Belgium | Canada | Colombia | Cyprus | Czech Republic | Denmark | Falkland Islands | Finland | France | Germany | Gibraltar | Greece | Holland | Hong Kong | Hungary | India | Israel | Italy | Malta | Mauritius | Mexico | Morocco | Namibia | Nigeria | Norway | Panama | Poland | Portugal | Romania | Sierra Leone | Singapore | Slovenia | Spain | Sweden | Switzerland | Turkey | USA | West Indies



# Bespoke services

**Our on-site services include: cutting, welding and fabrication, shot blasting, painting, worldwide logistics and storage facilities.**

Whilst our stock is kept in random lengths, generally from 4.5m up to about 15m, you have the option of having shorter lengths or extended with circumferential welds.

**Cutting** – We currently operate **5 automatic band saws**. Following recent investment in a new saw, we can now saw cut tubes up to **1280mm OD**, and we can flame cut tubes up to **2500mm OD**. Our standard saw cutting tolerances are **+/-3mm** up to **762mm OD**, and **+/-5mm** up to **1280mm**. For flame cutting **0/+15mm**. These are our standard tolerances, it is possible to have closer tolerances across our range by prior agreement.

**Welding and fabrication** – Employing fully coded, highly experienced welders, we routinely produce and deliver extended lengths up to **30m** long. We have produced lengths exceeding **50m** in the past. Copies of our procedures are available on request or we may be able to work to your procedures by special arrangement.



**Testing** – If you need confirmation of the properties of any of our material, we can always provide certification by independent testing and analysis before despatch.

**Shot blasting and coating** – We have two automatic shot blasting machines with up to **1m diameter** capacity. Larger sizes can be manually blasted if required. Our paint spraying capabilities give you the option of having your orders shot blasted and coated before they leave our works. We hold stocks of the most commonly specified paints.

**Traceability** – Although mill certificates are not available with uncertified products, you may want to know some of the properties of our material. Through our unique pipe numbering system, all of our stock can be traced to source. We record all details our suppliers give to us and can often pass this data on to you but without warranty.

Please note for testing we use UKAS approved independent laboratories. If customers require third party inspection and validation we will be pleased to help you arrange it.



# Our terms of business

## Payment terms

For customers who buy regularly, we offer monthly credit terms, subject to satisfactory checks and conditions. You can download an application form from our website as well as find our terms and conditions. Alternatively payment can be made by either credit or debit cards, or by bank transfer.

## Order charge

Please note, we operate a minimum order of £500.00 per size ordered ex works from our Dalton site.

## Transport

You can choose the best transport method to suit your requirement ranging from an economical part-load delivery when we are next in your area or next day delivery on dedicated trucks when time is of the essence.

## Collection

You can save carriage collecting your orders from our works which are open: **Monday to Thursday 08:00 to 16:00 and Friday 08:00 to 14:00.**

**We will continue to service our customers and have implemented a number of on-site procedures to protect our workforce and visiting drivers.**



# Delivering steel tube nationwide for 50 years



**47,000**  
TONNES OF UNCERTIFIED STOCK  
IN THIS SECTION!



# Uncertified

Uncertified material does not have the benefits of mill certification to qualify the properties.

**This information can be provided by independent testing if necessary and at an additional cost.**

If you are keen to work with a supplier to create value engineering, we are here to discuss options and the suitability our range of pipes can offer. Consideration of this material can allow you to significantly reduce costs compared to traditional Certified supplies and it will show your commitment in creating economic, environmental and social value.

Our Uncertified range includes mills' over-rollings and second quality material together with unused surplus stock from completed projects and redundant stock where certification may have existed but where traceability is no longer available.

## UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
21	2.6	1.2	2010
	3.6	1.5	2702
27	2.8	1.7	894
	4	2.3	4290
34	3.2	2.4	127
	3.6	2.7	1044
36	2	1.7	4107
42	3.2	3.1	360
	3.6	3.4	658
	4	3.7	838
	4.5	4.2	417
44	5	4.6	1699
	5	4.8	2082
48	3	3.3	942
	3.6	3.9	1908
	4	4.3	779

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
48	5	5.3	670
60	2.9	4.1	1302
	3.2	4.5	2939
	3.6	5.0	852
	4	5.5	1074
	4.5	6.2	1065
	5.5	7.4	4831
	6.3	8.3	353
	7.1	9.3	331
	9	11.3	3
67	5	7.6	82
68	5.5	8.5	159
	6	9.2	80
70	2.6	4.3	222
	4.5	7.3	22
	5	8.0	27

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
70	5.5	8.7	141
	6.3	9.9	1493
73	7.1	11.5	905
76	2.6	4.7	372
	3.2	5.7	61
	3.6	6.4	1689
	4	7.1	547
82	5	9.5	400
89	3.2	6.8	720
	5	10.4	451
	5.5	11.3	132
	5.6	11.5	792
	6	12.3	194
	6.3	12.8	1630
	7.1	14.3	775
	7.5	15.1	334

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
89	7.6	15.3	229
	8	16.0	143
	11.1	21.3	81
	12	22.8	197
	12.7	23.9	36
	15.1	27.5	16
	17.5	30.9	37
	20.6	34.7	5
95	5.5	12.1	84
102	8.5	19.6	309
	22.2	43.7	17
108	25.4	51.7	5
114	3.2	8.7	3074
	3.6	9.8	114
	5	13.4	1758
	5.5	14.7	842

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
114	6	16.0	85
	6.3	16.7	102
	7.3	19.2	2959
	8	20.9	69
	8.5	22.1	194
	9.5	24.5	500
	11.1	28.2	351
	12	30.2	279
	17.5	41.6	39
	20.6	47.4	6
121	3	8.7	403
	4	11.5	49
	8	22.3	131
	12.7	33.9	278

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
121	19.1	48.0	7
	22.2	54.1	3
127	10	28.9	58
	12.7	35.8	12
	16	43.8	5
	30	71.8	5
133	19.1	53.6	5
	22.2	60.7	5
140	3	10.1	22
	3.2	10.8	75
	3.6	12.1	80
	5	16.6	2946
	5.5	18.2	6
	6.3	20.8	617
	7.1	23.3	15
16	48.9	12	

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
140	19.1	56.9	5
	25.4	71.8	21
146	10	33.5	264
	12.7	41.7	17
	19.1	59.8	5
159	28.6	82.8	5
	5	19.0	557
165	4.5	17.8	51
	5	19.7	289
168	12.7	47.7	68
	4.5	18.1	127
	5	20.1	1173
	5.5	22.0	18
	6	24.0	35
	6.3	25.1	200
7.1	28.2	132	



# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
168	8	31.6	255
	9	35.3	41
	9.5	37.1	526
	10	39.0	65
	11.1	42.9	1077
	12.7	48.6	309
	19.1	70.1	3
	25.4	89.3	55
	30	102.1	234
178	5	21.3	82
	5.5	23.4	27
	9.5	39.5	47
	10	41.4	19
194	4	18.7	889
	4.5	21.0	411
	5	23.3	757

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
194	5.5	25.6	1371
	6.3	29.2	4730
	7.1	32.7	233
	8	36.7	4279
	9.5	43.2	4272
	10	45.4	454
	11.1	50.1	23
	12	53.9	409
	12.7	56.8	1333
	19.1	82.4	11
	25.4	105.6	144
	28.6	116.7	11
	30	121.3	5
	31.8	127.2	5
	203	20.6	92.7
219	4.5	23.8	84

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
219	5	26.4	697
	5.5	29.0	348
	6	31.5	92
	6.3	33.0	2806
	6.7	35.1	74
	7.1	37.1	626
	7.5	39.1	128
	8	41.6	2566
	8.2	42.6	86
	8.9	46.1	385
	9	46.6	229
	9.5	49.1	196
10	51.5	2459	
10.5	54.0	319	
11.1	56.9	273	
12	61.3	162	

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
219	12.5	63.7	307
	12.7	64.6	649
	13.5	68.4	11
	14.3	72.2	4253
	15.1	75.9	86
	16	80.1	5227
	18.3	90.6	63
	19.1	94.2	3
	23	111.2	6
	28.6	134.3	32
	30	139.8	13
	31.8	146.8	10
35	158.8	124	
229	10	54.0	28
244	4.5	26.6	20
	5	29.5	4238

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
244	5.5	32.3	890
	6	35.2	660
	6.3	36.9	3923
	7.1	41.5	655
	8	46.6	2157
	8.9	51.6	3253
	9	52.2	2854
	10	57.7	6182
	11.1	63.8	424
	12	68.7	55
	12.7	72.4	779
	13.5	76.7	1739
	14.3	81.0	701
	16	90.0	1634
	19.1	105.9	5
	25.4	136.9	6

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
244	35	180.4	39
	251	16	92.7
254	3	18.6	12
	50.8	254.6	3
273	4.5	29.8	31
	5	33.0	504
	5.4	35.6	1086
	5.5	36.3	236
	6	39.5	65
	6.3	41.4	1537
	6.5	42.7	979
	7.1	46.6	314
	7.5	49.1	28
	8	52.3	1012
	8.8	57.3	263
9	58.6	631	

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
273	9.3	60.5	1156
	9.5	61.7	402
	10	64.9	4643
	11.1	71.7	7153
	12	77.2	441
	12.5	80.3	1344
	12.7	81.5	2989
	13.5	86.4	459
	14	89.4	34
	14.3	91.2	1895
	15.3	97.2	349
	16	101.4	1185
	17.5	110.3	98
	18.3	114.9	116
	19.1	119.6	107
	20.6	128.2	15

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
273	22.2	137.3	61
	23.8	146.3	48
	25	152.9	5
	25.4	155.1	187
	28.6	172.4	20
	30	179.8	9
	31.8	189.1	3
	38.1	220.7	68
	42.2	240.2	164
	43.7	247.1	11
	44.5	250.7	34
	50.8	278.4	7
279	8	53.5	145
	10	66.3	201
	12.7	83.4	220
	16	103.8	135

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
280	14.3	93.7	172
286	30.2	190.5	7
292	20.6	137.9	7
298	13.5	94.7	61
	19.1	131.4	19
	30	198.3	3
	35	227.0	3
	38.1	244.2	6
311	20.6	147.5	12
314	22.8	163.7	12
324	5	39.3	978
	5.5	43.2	1436
	6	47.1	37
	6.3	49.4	1627
	6.5	50.9	371
	7.1	55.5	1015

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
324	8	62.3	513
	8.4	65.4	949
	9	69.9	74
	9.5	73.7	1597
	10	77.4	822
	10.3	79.7	75
	11.1	85.6	142
	12	92.3	86
	12.5	96.0	681
	12.7	97.5	1502
	14.3	109.2	2300
	15.1	115.0	165
	15.9	120.8	1477
	16	121.5	3809
	17.5	132.3	6342
	25.4	187.0	35

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
324	27	197.7	25
	28.6	208.3	5
	31.8	229.1	36
	33.3	238.7	14
	35	249.4	57
	38.1	268.6	65
	44.5	306.7	24
	50.8	342.2	3
330	6.3	50.3	773
	7.1	56.5	510
	8	63.5	654
	8.5	67.4	90
	10	78.9	255
	11.1	87.3	17
	12.7	99.4	139
	14.3	111.3	23

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
330	16	123.9	727
	28.6	212.6	3
	42.2	299.5	22
340	9.5	77.4	1221
	10.5	85.3	41
	11.1	90.0	60
	12	97.1	305
	12.2	98.6	966
	12.7	102.5	4407
	16	127.8	67
	35	263.2	27
346	16	130.2	54
349	14.3	118.0	12
356	5	43.3	935
	5.5	47.5	1304
	6	51.8	162

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
356	6.3	54.3	1732
	7.1	61.1	275
	7.5	64.5	106
	8	68.7	276
	8.7	74.5	43
	9.5	81.2	168
	10	85.3	233
	11.1	94.4	23
	12.5	105.9	134
	12.7	107.5	27
	14.3	120.5	30
	15.9	133.4	44
	16	134.2	4198
	17.5	146.1	92
	18.3	152.4	7
	19.1	158.7	183

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
356	20.6	170.4	4013
	25.4	207.1	38
	31.8	254.2	27
	35.7	282.0	173
	38.1	298.7	59
	50.8	382.3	3
	65	466.4	279
362	70	504.1	15
368	80	568.2	3
372	75	549.3	29
377	58	456.3	3
394	20.5	188.8	821
	22.2	203.5	12
	41.2	358.4	11
	44.5	383.5	3
406	5	49.4	8394

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
406	5.5	54.3	1100
	6	59.2	274
	6.3	62.1	3745
	7.1	69.8	3585
	7.5	73.7	42
	7.9	77.6	1837
	8	78.5	3589
	8.5	83.3	74
	8.8	86.2	2209
	9.5	92.9	6729
	10	97.7	1776
	10.3	100.5	555
	11.1	108.1	4864
	11.9	115.7	343
	12.5	121.3	513
	12.7	123.2	1621

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
406	14.3	138.1	296
	16	153.9	825
	16.7	160.3	5770
	17.5	167.7	384
	18	172.2	1995
	19.1	182.2	3305
	20.6	195.8	18
	21	199.4	472
	21.4	203.0	33
	22.2	210.1	173
	24	226.1	100
	25.4	238.4	22
	28.6	266.2	5
	30.9	285.8	5
409	19.1	183.6	1495
413	19.1	185.5	395

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
416	25	241.1	1139
419	18.3	180.8	23
	25.4	246.5	10
	30	287.8	30
426	25.4	250.9	34
	30.4	296.6	11
432	11.5	119.2	1406
	12	124.3	1688
457	5	55.7	590
	5.5	61.2	661
	6	66.7	69
	6.3	70.0	1943
	6.5	72.2	179
	7.1	78.8	477
	7.2	79.9	1521
	8	88.6	683

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
457	8.3	91.8	1076
	8.5	94.0	535
	8.7	96.2	374
	9	99.4	118
	9.5	104.8	1076
	10	110.2	771
	11.1	122.1	573
	12	131.7	482
	12.4	136.0	178
	12.7	139.1	773
	13.5	147.6	551
	14.3	156.1	6728
	15.1	164.5	8
	15.9	173.0	2990
	16	174.0	609
	17.5	189.7	11

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
457	19.1	206.3	220
	20.3	218.6	5833
	20.6	221.7	14
	22.2	238.0	13
	23.8	254.2	45
	25.4	270.3	4050
	26.6	282.3	1527
	27	286.3	156
	28.3	299.2	256
	28.6	302.1	511
	30.5	320.8	18
	31.8	333.4	1205
	33.5	349.9	35
	38.1	393.6	16
	45	457.2	6
464	14.3	158.6	221

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
464	27	291.0	286
469	15.2	170.1	139
	30	324.8	21
473	11.1	126.4	6926
	12.7	144.2	74
	15.2	171.6	12
477	19.1	215.7	26
	37.4	405.4	97
489	25.4	290.4	3
	29.5	334.3	113
	33	371.1	8
495	10.5	125.5	12
508	5.5	68.2	114
	6	74.3	24
	6.3	77.9	2227
	7.1	87.7	2402

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
508	7.3	90.1	25
	7.9	97.4	39
	8	98.6	489
	8.8	108.3	702
	9	110.7	261
	9.5	116.8	13467
	10.3	126.4	29
	10.5	128.8	224
	11.1	136.0	6469
	12	146.8	87
	12.5	152.7	970
	12.7	155.1	1849
	13.5	164.6	18
	14	170.5	388
	14.3	174.1	401
	15.1	183.5	1083

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
508	15.9	192.9	1283
	16	194.1	11922
	17.5	211.7	654
	18	217.5	104
	18.3	221.0	68
	19.1	230.3	860
	20	240.7	36
	20.6	247.6	632
	22.2	266.0	68
	25.4	302.3	224
	26.2	311.3	16
	27	320.3	108
	27.8	329.2	60
	28.6	338.1	31
	29.1	343.7	161
	29.6	349.2	76

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
508	30.7	361.3	230
	31.5	370.1	227
	31.8	373.4	38
	34.4	401.8	35
	35	408.2	3
	35.4	412.6	9
	38.1	441.5	7
	50.8	572.7	5
512	21.4	258.9	9
514	22.2	269.2	912
518	20.6	252.7	152
521	50.8	589.0	3
524	25.4	312.3	36
	27	330.9	643
533	16	204.0	24
	19.1	242.0	304

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
533	31.8	393.0	16
559	9.5	128.7	13
	10	135.4	53
	10.3	139.4	191
	14.3	192.1	815
	20.6	273.5	64
	25.4	334.2	2348
	31.8	413.4	239
	38.1	489.4	31
	50.8	636.6	3
565	22.2	297.2	120
569	13	178.2	152
571	27	362.2	37
584	60	775.3	3
603	30	423.9	3
	38.1	530.7	20



# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
610	7.1	105.6	3
	8	118.8	277
	9.5	140.7	108
	10	148.0	17
	10.5	155.2	9
	11.1	163.9	149
	12.7	187.1	424
	14.3	210.1	80
	15.9	232.9	132
	16	234.4	787
	17.5	255.7	532
	17.8	259.9	762
	18.3	267.0	20
	19.1	278.3	73
	20	291.0	3
	22.2	321.8	77

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
610	22.8	330.2	11
	25.4	366.2	339
	28.6	410.0	12
	29.6	423.7	5
	30	429.1	235
	31.8	453.4	13
	34.9	495.0	10
	35	496.3	39
	36.5	516.2	326
	38.1	537.3	37
	50.8	700.5	3
	57.2	779.8	3
614	22.2	324.0	68
618	19.4	286.4	7
620	10.5	157.8	14
625	30	440.2	7

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
635	50.8	731.8	3
649	18.3	284.6	3
	44	656.4	6
655	27	418.1	57
660	7.1	114.3	9
	8	128.6	28
	8.7	139.7	822
	10.3	165.0	100
	10.5	168.2	416
	11.1	177.6	6083
	12.7	202.7	9
	15.9	252.5	353
	16	254.1	496
	17.6	278.8	48
	19.1	301.9	108
	25	391.5	3

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
660	25.4	397.5	217
	28.6	445.3	36
	29.5	458.7	106
	31.8	492.6	15
	33.3	514.6	12
	37.1	569.9	75
	38.1	584.3	600
667	22.2	353.0	36
675	10.3	168.8	18
679	28.6	458.7	62
686	13	215.8	182
705	25.4	425.7	24
711	6.3	109.5	652
	10	172.9	5
	19.1	325.9	2517
	20.6	350.7	11

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
711	25.4	429.4	194
	37.2	618.1	131
720	20.1	346.9	298
730	14	247.2	17
740	26.2	461.2	39
743	31.7	556.0	3
744	26.5	468.9	12
	26.8	474.0	499
749	29.5	523.4	792
750	36	633.9	3
752	21	378.6	11
757	31.8	564.8	77
	33.6	599.4	192
762	6.3	117.4	232
	8.5	157.9	5
	10	185.4	37

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
762	11.1	205.5	1050
	12	221.9	5
	12.5	231.0	23
	16	294.3	79
	16.7	306.9	7
	17.5	321.3	3006
	18.3	335.6	44
	19.1	349.9	36
	20.4	373.1	3
	20.6	376.6	39
	22.2	405.0	15
	23.8	433.3	142
	25.4	461.4	697
	28.6	517.2	30
31.8	572.6	15	
38.1	680.1	2387	

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
771	22.6	417.1	12
	28.6	523.6	60
772	25.7	473.0	105
775	22.2	412.1	31
	25.4	469.5	27
	28.6	526.4	36
	32.4	593.3	13
783	10	190.6	9
787	32.9	611.8	369
794	16	307.0	3
800	28.6	544.0	3
	30	569.6	5
805	20.6	398.5	9
	26.1	501.3	1452
807	19.1	371.1	158
813	7.1	141.1	423

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
813	8.8	174.5	5
	9.5	188.2	5
	10	198.0	9
	11.1	219.5	10
	12	237.0	52
	14.3	281.7	734
	15.9	312.5	3
	19.1	373.9	40
	20	391.1	3
	20.6	402.5	3
	22.2	432.9	11
	25.4	493.3	26
	28.6	553.2	5
	35	671.5	3
35.6	682.5	12	
38.1	728.1	11	

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
813	39	744.4	64
	40	762.5	11
820	10	199.7	179
825	12	240.6	33
833	32	632.1	24
864	14.3	299.6	22
885	42.5	883.0	116
889	25.4	540.9	11
898	22.2	479.5	15
908	27	586.6	55
914	8	178.7	251
	9	200.9	184
	9.5	211.9	54
	10	222.9	7
	11.5	255.9	11
	12	266.9	60

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
914	12.7	282.3	55	914	30.1	656.1	6	927	12	270.8	9
	13.5	299.8	16		30.5	664.5	5		19.6	438.6	43
	14.3	317.3	120		31.8	691.8	9	933	31.1	691.7	24
	16	354.3	34		38.1	822.9	1793	940	44.5	982.7	6
	17.1	378.2	18		40	862.1	11	952	25.4	580.4	51
	17.5	386.9	191		40.8	878.6	43	965	30.1	693.9	8
	17.8	393.4	11		44.5	954.2	27	1000	20.6	497.5	3
	19.1	421.5	33		50.8	1081.4	786	1016	12	297.1	3
	19.9	438.8	18	916	14.2	315.8	209		14.2	350.8	69
	20.6	453.8	17	921	11.1	249.1	51		14.3	353.2	168
	20.9	460.3	12		15.1	337.3	11		15.1	372.7	3
	22.2	488.2	18		23.8	526.6	7		16	394.6	58
	22.9	503.2	116		25.4	561.0	54		19.1	469.5	5
	25.4	556.6	1173		30	659.2	5		22.2	544.1	3
	27.2	594.8	31	924	12.2	274.3	3	1020	18.3	452.0	11
	28.6	624.5	20	925	27.2	602.2	12	1027	29	713.7	3

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
1029	13.5	338.1	23
	28.6	705.6	3
1059	15.1	388.7	20
1064	13.3	344.6	27
1067	12	312.2	3
	12.7	330.2	35
	13.5	350.7	63
	14.3	371.2	2395
	14.7	381.5	159
	15.1	391.7	29
	15.7	407.0	47
	16	414.7	34
	17.5	452.9	82
	17.7	458.0	12
	18.3	473.3	26
	18.8	486.0	18

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
1067	19.1	493.6	167
	20	516.4	5
	20.6	531.6	7
	21.5	554.3	11
	22.2	572.0	14
	23.5	604.7	12
	25.4	652.4	62
	27.1	695.0	12
	31.8	811.8	21
	44.5	1122.1	6
1070	12.7	331.1	43
	27.2	699.5	78
1074	29.1	749.8	24
1079	12.7	333.9	11
	13.5	354.7	6
	19.1	499.2	11

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
1079	22.2	578.5	9
	31.8	821.2	10
1080	34	877.0	7
1081	32.3	835.3	8
1083	33.3	862.0	46
1084	22.2	581.3	97
	34.1	882.9	308
1088	35.9	931.4	19
1090	26.5	695.0	12
1092	12.7	338.0	11
1096	16	424.5	3
	40	1041.6	12
1103	43.5	1136.5	23
1105	12.7	342.1	12
	45	1176.3	18
1112	23.3	625.5	12

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
1114	24	645.1	3
	50.8	1331.9	9
1117	50.6	1330.6	10
1118	12.7	346.2	67
	14.3	389.2	91
	17.5	474.9	114
	20.6	557.5	253
	22.2	599.9	82
	23.8	642.2	187
	25.4	684.4	5
	27	726.4	83
	28	752.6	11
	184	4238.0	34
1125	54	1426.2	12
1134	34	922.3	72
	34.1	924.9	56

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
1150	15.1	422.6	24
1156	14.3	402.6	9
1168	9	257.2	7
	9.5	271.4	5
	11.8	336.4	5
	14.3	406.8	183
	16	454.5	23
1198	15	437.6	78
1219	9.5	283.3	9
	14.3	424.8	3
	15.9	471.7	74
	16	474.7	24
	17.5	518.5	1075
	18.3	541.8	79
	19.1	565.2	11
	20.6	608.8	3

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
1219	21	620.4	95
	21.2	626.2	33
	22.2	655.2	35
	23.2	684.1	35
	23.8	701.5	62
	25.4	747.6	10
1222	26.4	776.4	27
	28.6	839.6	40
	30.9	905.3	19
	50.8	1463.4	6
1229	57.2	1638.8	3
	34.5	1010.3	87
	22.2	660.7	16
	18.3	547.7	6
	25.4	758.3	39
1236	27	805.0	14

# UNCERTIFIED

Steel Tubes in stock

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
1237	18.5	555.9	20
1240	25.4	760.8	6
1245	16	484.9	24
	22.2	669.4	12
	63.5	1850.1	17
1253	15.6	476.0	32
1264	15.8	486.3	69
1270	100	2885.2	3
1321	9.8	316.9	59
	25.4	811.5	3
1354	17	560.5	19
1397	12	409.8	7
1420	16	554.0	291
1422	12.7	441.4	3
	14.3	496.4	9
	16.4	568.5	13

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
1422	17.5	606.1	12
	18.3	633.5	23
	19.1	660.8	15
	22.2	766.3	151
	23	793.5	16
	23.7	817.2	22
	25.4	874.8	51
	28.6	982.7	17
1432	18.3	638.0	31
1438	29.8	1034.8	12
1473	18.3	656.5	42
1524	22.2	822.2	13
	63.5	2287.0	3
	82.6	2936.0	12
1676	57.2	2283.4	3
1727	38.2	1590.9	5

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)
1829	35	1548.4	9
	50.8	2227.6	3
1845	20	900.1	9
1895	22.2	1025.3	7
2170	15.5	823.5	28
2500	16	980.1	116



# **WE BUY** **SURPLUS** **STEEL TUBE** **STOCK**

CST has 50 years experience of successfully sourcing material from across the globe.

Speak directly with our purchasing manager:

[steve@cleveland-steel.com](mailto:steve@cleveland-steel.com)

+44 (0) 1845 577789





# Certified

**Our Certified or Prime stock is material we have purchased complete with the producer's test certification.**

This material is typically purchased directly from the steel producers or from sources that can provide traceability between the material and the certification supplied.

Mill certificates will confirm the chemical analysis and mechanical properties of the material, depending on the specification to which the product was originally manufactured – not all properties are shown on mill certification. However, we are able to arrange for supplementary independent testing to show any additional requirements you may need to know.

**38,000**  
**TONNES OF CERTIFIED STOCK**  
**IN THIS SECTION!**

# Comparison guide

A general comparison guide: API 5L steel grades vs Euronorm structural steel grades.

## American (API) Specifications

API Grades	Yield	Tensile	BS/EN Grades
Gr. B	241	413	S235
X42	289	413	S275
X46	317	434	
X52	359	455	S355
X56	386	489	
X60	413	517	S420
X65	448	531	S460
X70	482	565	
X80	551	620	

## European (BS/EN) Specifications

BS/EN Grades	Yield	Tensile	API Grades
S185	175	290	
S235	225	340	Gr. B
S275	265	410	X42
S355	345	490	X52
S420	400	520	X60
S460	440	550	X65

In general the API 5L grades listed tend to have chemical analysis and mechanical property requirements that are equal to or better than the minimum requirements of the comparable Euronorm structural steel grades shown. **Independent Tests carried out by a UKAS approved laboratory can verify this.**

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
27	4	2.3	30	A106B
32	4.5	3.1	24	A106B
34	2.5	1.9	448	S235
48	2.5	2.8	457	S235
	3.2	3.5	2339	S355
60	2.9	4.1	330	S235
	3	4.2	720	S235
	3.2	4.5	330	S235
	4	5.5	67	L360, X52
	5.5	7.4	340	X52, X42
	8.5	10.8	19	X52
	11.1	13.4	691	X65, CR/MO
	13.5	15.5	198	X52
67	8	11.6	9	ST52
70	6.3	9.9	19	ST52
76	2.5	4.5	30	S235

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
82	19.1	29.6	7	ST52
89	6	12.3	7683	S355
	7.6	15.3	172	X52, A333/6, S355
	8	16.0	3	S355
	15.1	27.5	130	X52, X42
	15.2	27.7	229	X52
	17.5	30.9	49	S355
95	19.1	35.7	7	S355
102	6	14.2	369	X52, S355
114	8	20.9	12	S355
	8.5	22.1	29	L360
	17.1	40.9	254	X52
	17.5	41.6	160	A106B, X52, CR/MO, S355
	22.2	50.3	30	S355
118	19	46.4	38	S355
140	3	10.1	33	S235

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
140	9.5	30.6	4	A333/6
141	19.1	57.4	258	X52
168	6.3	25.1	24	S355
	11.1	42.9	12096	X65
	28.6	98.3	9	A333/6
178	12.7	51.8	18	S355
184	25.4	99.3	173	A519
194	10	45.4	29	A500
	28.6	116.7	5	S355
219	5	26.4	51	S355
	5.6	29.5	74	L360
	6	31.5	16	S355
	6.3	33.0	660	X52, L245, L450, S355
	7	36.6	147	L360
	7.1	37.1	40	L360, X52
	8	41.6	768	X52, S355

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
219	8.2	42.6	34	X52
	9.5	49.1	384	A252, S355
	10	51.5	1121	S355, S235, S355
	11.1	56.9	79	X52
	12	61.3	1856	A252
	12.5	63.7	260	S355, S460, S420
	12.7	64.6	5	S355
	14.2	71.7	11	S355
	14.3	72.2	20	S355
	16	80.1	62	X52, S355
	244	5	29.5	5
6.3		36.9	9	50C
8		46.6	87	Gr. B
8.9		51.6	8	J55
9		52.2	28	J55
9.5		54.9	11	S355

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
273	4	26.5	100	S355
	5	33.0	25	S355
	5.4	35.6	931	L450
	6	39.5	16	S355
	6.3	41.4	819	S355, X60, L415, L450
	8	52.3	15	S355
	9	58.6	24	J55
	9.3	60.5	175	X52
	9.5	61.7	27	L450
	10	64.9	262	S460, J55, S355
	11.1	71.7	8523	X65
	12.5	80.3	579	S355, S460, S420
	12.7	81.5	75	X65
	13.5	86.4	196	X60
	14	89.4	25	L450
	14.2	90.6	40	S355

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
273	14.3	91.2	1407	L450, L360
	15.1	96.0	934	L450
	15.9	100.8	71	L450
	16	101.4	28	S355, X65
	19.1	119.6	15	X52
	25.4	155.1	3	X65
	30	179.8	6	S355
311	12.5	92.0	19	ST52
324	6	47.1	144	S355
	6.3	49.4	432	S355, X52
	7.1	55.5	338	L360, S355, X52
	8	62.3	910	S355, S355
	8.4	65.4	34	L450, X65
	9.5	73.7	423	X52, S355, S460, L360
	10	77.4	58	S355, L360
	10.3	79.7	180	X60

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
324	11	84.9	11	X52
	11.1	85.6	56	L360, X52
	12.5	96.0	167	S460, S355
	12.7	97.5	925	Gr. B, X65, L360
	14.3	109.2	607	X60, L450, S355
	15.8	120.1	161	X52
	15.9	120.8	1598	X52, L450, Gr. B, X65
	16	121.5	628	X52, S355, L360
	17.5	132.3	603	X52, L450
	19.1	143.6	9	L450
	30	217.5	14	X52
336	33.3	238.7	7	X52
	38.1	279.9	3	S355
340	8.5	69.5	9	J55
	9.5	77.4	30	J55
	10.5	85.3	26	J55

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
340	11.1	90.0	9	J55
	12	97.1	32	J55
	12.5	101.0	745	S355
356	5	43.3	16	S355
	6	51.8	156	S355
	6.3	54.3	839	S355, L450
	7.1	61.1	309	L450
	8	68.7	248	S355
	9.5	81.2	22	L450
	10	85.3	18	S355
	10.3	87.8	628	L360
	12.5	105.9	206	S355
	15.9	133.4	17	L450
340	16	134.2	1343	X52, S420, S355, L450, S355
	17.5	146.1	736	L450
	19.1	158.7	11705	X65, S355G10

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
356	20.6	170.4	7	X52
	23.8	195.0	35	A333/6
	25.4	207.1	12	S355G10, S355
368	80	568.2	9	S355
400	14.3	136.0	47	X60
406	5	49.4	163	S355
	6.3	62.1	240	S355
	7.5	73.7	1076	X65, A252
	7.9	77.6	169	L360, L450
	8	78.5	947	A252, S355
	8.7	85.2	65	X42, L360
	8.8	86.2	882	S355, X65, L415
	9.5	92.9	528	X60, L360, X65, S355, S460
	10	97.7	26	S355, X52
	10.3	100.5	234	Gr. B, X60
	11.1	108.1	1018	L360, Gr. B

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
406	11.9	115.7	738	L360
	12.5	121.3	775	A252, S355, S460
	12.7	123.2	330	X52, X65, S355
	13.8	133.5	51	X65
	14	135.3	9	S355
	14.2	137.2	325	S355, S460
	14.3	138.1	368	L450, X65
	16	153.9	384	S460, S355, X52, S355G10
	17.5	167.7	285	L450, S355
	18	172.2	468	X65
	19.1	182.2	669	L450, X65, X52
	21.4	203.0	9	A333/6
	22.2	210.1	6	X65
	30	278.2	9	S355
	30.9	285.8	57	A333/6, L360
408	21.4	204.0	7	X52

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
409	19.1	183.6	891	L450
417	16	158.2	5	X65
419	25.4	246.5	3	S355
	30	287.8	6	S355
	60	531.2	3	S355
439	14.3	149.8	478	X65
448	24	250.9	19	X65
457	6	66.7	270	S355,S420
	6.3	70.0	135	X42, Gr. B, S355
	7.1	78.8	62	X60
	8.7	96.2	112	X65,X52, Gr. B
	9.5	104.8	5	50C
	10	110.2	20	S355,X70
	11.1	122.1	823	X60,X52, L415
	12.4	136.0	193	S355, EP450, S420
	12.7	139.1	60	S355,X52, L450,X60,S355

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
457	13.5	147.6	69	L450,X65
457	14	152.9	272	EP450, X65
	14.3	156.1	130	X60, X52, X65
	15.9	173.0	5	L415
	16	174.0	206	S355, L415
	17.5	189.7	8	X60, X52
	19.1	206.3	197	X65, X52, X60
	20.3	218.6	1518	X52, L415, L450
	20.6	221.7	24	L415
	23.8	254.2	27	X65
	25.4	270.3	2280	X65, L450, X60, X52, X56
	26.6	282.3	2169	X65
	28.3	299.2	467	X65
	28.6	302.1	392	X65
	30.5	320.8	11	X65
	31.8	333.4	984	X65, X60, X52



Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
457	32	335.4	27	L485
	34.9	363.3	36	X42
460	30	318.1	20	X65
461	27.3	292.0	81	X65
464	16	176.8	82	X65
469	15.2	170.1	248	EP450
473	11.1	126.4	167	X56
477	19.1	215.7	101	X65
486	55	584.6	76	X70
508	6.3	77.9	167	S355, A252
	7.3	90.1	14	X65
	8	98.6	57	S355, Gr. B
	8.5	104.7	1393	X65
	8.7	107.1	9	X60
	9	110.7	7	X65
	9.5	116.8	25	A106B, Gr. B, S460

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
508	10	122.8	39	S355
	11	134.8	87	S355
	11.1	136.0	485	X56, X70, S355, L415
	11.2	137.2	232	X70
	12	146.8	7	S355
	12.5	152.7	625	S355, S460, S420
	12.7	155.1	355	X52, L245, X56, X70
	14	170.5	165	X70
	14.3	174.1	35	L360,, S355
	15	182.4	79	X70
	15.1	183.5	215	S460
	15.9	192.9	1369	X65, L450, X52, X56
	16	194.1	16	S355
	17.5	211.7	408	L360, X65
	18	217.5	266	X56
18.3	221.0	26	X56	

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
508	19.1	230.3	83	X80, X70, X56
	19.5	234.9	23	X56
	20	240.7	12	S460, X52
	20.6	247.6	813	Gr. B, X65, X80, L360
	22.2	266.0	120	L360
	22.3	267.1	487	X65
	25.4	302.3	9	X52
	26.2	311.3	37	X52, A333/6
	27.8	329.2	395	L450
	29.1	343.7	606	X65
	29.6	349.2	97	L450
	30	353.6	9	X52
	30.7	361.3	207	L450
	35	408.2	15	L485, L450
	35.4	412.6	120	L450
	38.1	441.5	11	L450, A333/6

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
511	19.1	231.7	77	X65
514	22.2	269.2	896	X65, X56
	33	391.4	3	X65
524	20.6	255.7	103	X65
527	20.6	257.2	232	X65
530	8	103.0	114	S355, S235
	10	128.2	10	S235
	50.8	600.3	3	S355
533	25.4	317.9	6	X52
	31.8	393.0	59	X65, X56
559	10.3	139.4	131	L415
	14.3	192.1	332	L415
	25.4	334.2	499	X60
	31.8	413.4	108	L485, X52
	38.1	489.4	72	X56
	40	511.9	7	S355

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
569	13	178.2	787	L450, DNV450
575	22	300.0	78	L450
584	60	775.3	3	S355
610	9	133.4	2105	A252-3, A252
	9.5	140.7	242	X52, S355
	11.1	163.9	32	L415
	11.3	166.8	57	X65, L415
	12.7	187.1	804	X60, S355, S420
	14	205.8	373	X60, Gr. B
	14.3	210.1	170	L360, L415, L450
	14.5	212.9	34	X65, L450
	14.6	214.4	29	S420
	15.9	232.9	200	L415, X52, S355G10
	17.5	255.7	72	S420, 89, X46
	17.8	259.9	109	X70
	19.1	278.3	63	S355, L415

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
610	24.6	355.1	50	A671
	25	360.7	156	S355
	25.4	366.2	3	DNV450
	26.4	379.9	22	L450
	30	429.1	451	L450, S355, DNV450
	30.9	441.3	3	A333/6
	31.8	453.4	6	X65, X56, DNV450
	34.9	495.0	14	X65
	36.5	516.2	102	X65
	38.1	537.3	3	X56
	46	639.8	6	A333/6
630	8	122.7	53	S355
	9	137.8	35	S355
	12	182.9	3	S355
655	27	418.1	124	L450
660	6.3	101.6	3	X65

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
660	7.1	114.3	5	X65
	8	128.6	20	X70
	8.7	139.7	17	L485
	9.5	152.4	25	S420
	10.3	165.0	3376	X65
	11.1	177.6	231	L415
	11.7	187.0	34	X70, L485
	15.9	252.5	125	L415
	16	254.1	24	L415
	17.5	277.3	9	X46, X70
	17.6	278.8	327	L450
	19.1	301.9	1097	L450, X56
	25	391.5	233	S355
	31.8	492.6	3	X56
666	22.2	352.4	125	L450
667	22.2	353.0	12	L450

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
679	28.6	458.7	43	L450
686	13	215.8	42	L360
711	10.3	178.0	168	X60
	17.5	299.3	5	L485
	19.1	325.9	6	S420
	25.4	429.4	168	DNV450
719	10	174.8	9	L360
720	7.5	131.8	12	S460
	8	140.5	1006	S355, S420, S460, X60
	9	157.8	179	S355, S420
	10	175.1	15	S355, S420
	12	209.5	18	S355
	15	260.8	9	S420
	18	311.6	12	S460
730	14	247.2	93	L360
743	27.4	483.5	426	X65

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
744	26.8	474.0	44	X65
749	29.5	523.4	87	X65
750	31	549.6	661	X65
757	33.6	599.4	215	X65
761	35.5	635.1	27	X65
762	8	148.7	1643	S235/FE
	9.5	176.3	9	S355, X52, S420
	10	185.4	814	L485
	10.3	190.9	249	X60
	11.1	205.5	8	X70
	11.4	211.0	3	S420
	12.5	231.0	87	L485
	14.3	263.7	9	X60, L450, L415
	15.9	292.5	3	X70
	16	294.3	58	S355, S355, X65, X46
	17.5	321.3	53	L450, X65, S355

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
762	18	330.2	36	X70
	18.3	335.6	24	X60
	19.1	349.9	7	S275
	20	366.0	64	X65, L450, S355
	20.4	373.1	9	X65
	20.6	376.6	51	X65,
	21.5	392.6	8	L450, DNV450
	22	401.5	11	S420
	25.4	461.4	177	X65, X52, DNV450
	38.1	680.1	1267	S355MH, X56, X70, X65, X80
	42.2	749.1	36	A516/65
768	22.2	408.3	12	X60
772	25.7	473.0	5	X65
775	22.6	419.3	12	X65
	25.4	469.5	33	X65
783	10	190.6	24	L360

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
784	31.7	588.1	21	X65
786	48	873.6	9	X65
787	32.9	611.8	209	X65
794	16	307.0	6	X60
807	19.1	371.1	1801	L485
813	8.7	172.6	12	X65
	9.5	188.2	12	S355
	10.3	203.9	171	X60
	14	275.8	48	X70
	14.2	279.7	55	L450
	14.3	281.7	7	L450
	19.1	373.9	266	S420,X65,X60,L485
	20	391.1	533	L450,X46
	20.6	402.5	66	S355
	22.2	432.9	328	L485
	22.5	438.6	13	L485

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
813	23.8	463.2	238	S420,X65
	25.4	493.3	3	X52
	28.6	553.2	62	S355
	39	744.4	1241	X65,L450
820	8	160.2	6	X60
	9	180.0	113	S420,S355
	10	199.7	745	S420,A252,S355
	12	239.1	9	S355
	19	375.3	3	S420
	25.4	497.7	54	L450
825	28	550.3	35	L485
833	32	632.1	38	L485
849	40	798.0	33	L485
864	12.5	262.5	177	L415
	12.7	266.6	6	X60
	14.3	299.6	21	L450

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
864	16	334.6	5	X60
885	42.5	883.0	75	X65
914	9.5	211.9	3	X60
	10.3	229.5	212	X60
	11.9	264.7	408	X65, Gr. B
	12	266.9	1148	L485
	12.7	282.3	3	X42
	13.1	291.0	78	X70
	13.5	299.8	60	S460
	13.6	302.0	16	X70
	14.2	315.1	544	L485
	14.3	317.3	195	S420, X70, L485
	15.9	352.1	11	Gr. B
	16	354.3	12	S355
	16.8	371.7	282	X70
	16.9	373.9	514	X70, X65

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
914	17.5	386.9	336	L485
	17.8	393.4	25	X70
	18	397.7	13	X70
	19.1	421.5	304	S460, L415, X60, X70
	19.5	430.1	12	S420, X70
	19.9	438.8	148	L450
	20.2	445.2	16	S355, L485
	20.6	453.8	58	L450, X65, X70, L485, DNV450
	20.9	460.3	21	X65
	22.2	488.2	32	S420, L485
	22.9	503.2	12	S355
	25.4	556.6	66	X52, S355, L485
	27.2	594.8	47	L450, X65
	28.6	624.5	3	X65
	28.9	630.8	466	X65
	30.5	664.5	469	X65

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
914	35	758.7	219	L485
	38.1	822.9	228	X56,X65
	38.5	831.2	434	S355,L450
	44.4	952.1	53	X56
	44.5	954.2	12	X56
	50.8	1081.4	15	X56
916	14.2	315.8	38	L450
921	23.8	526.6	289	DNV450,L485,L450
	34.5	754.2	12	X65
925	27.2	602.2	155	L450
927	19.6	438.6	16	L450
933	31.1	691.7	60	L450
1016	5	124.7	59	S235
	11	272.6	9	P235GH
	12.5	309.3	166	L415,X60,S355
	14.2	350.8	409	L485

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
1016	16	394.6	668	L485
	16.9	416.4	11	S420
	20	491.2	51	L485
	25	611.0	108	X52
	25.4	620.5	12	S355
1020	10	249.1	6	S235
	22	541.4	5	S460
1067	8.7	227.0	6	S420
	10.3	268.4	3	S420
	11.4	296.8	3	X70
	12.3	319.9	57	X70
	12.5	325.0	84	L415
	12.7	330.2	46	X70,L290
	13.2	343.0	13	X70
14.1	366.1	38	X65	
14.3	371.2	48	L415,X60	



Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
1067	15.1	391.7	75	X70
	15.6	404.5	7	X70
	15.9	412.1	16	X70
	17.5	452.9	57	X65, L290
	18	465.6	3	S355
	18.3	473.3	12	X70
	19.1	493.6	14	L450
1100	6.3	169.9	60	S355
1118	11.1	303.0	108	X65, S420
	12.7	346.2	454	X70, L485, S420
	14.3	389.2	931	X70, L485, S420
	17.5	474.9	317	X70, L485
	20.3	549.5	9	X60
	20.6	557.5	379	L485, X70
	22.2	599.9	228	L485, X70
	22.6	610.5	9	X60

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
1118	23.8	642.2	234	L485, X70
	27	726.4	57	X70, L485
1120	11.3	308.9	66	S355
1156	13.6	383.1	69	L360
1168	9.5	271.4	28	S420
1198	15	437.6	9	L360
1205	18	526.9	5	S355
1219	8	238.9	3	S355
	10	298.1	228	S275
	13.8	410.1	577	S460
	14.2	421.9	22	L415
	15.9	471.7	122	S420
	16	474.7	11	X80
	17.5	518.5	306	L485, X70
19.1	565.2	41	L450, X70	
	20	591.3	84	S355

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
1219	20.6	608.8	260	X65
	21	620.4	48	L485
	21.2	626.2	10	X70
	21.8	643.6	243	L485
	22.2	655.2	38	X80,X70
	23.8	701.5	14	X65,X70
	24.7	727.5	19	X80
1220	13	386.9	3	S420
	15	445.7	7	S355
	16	475.1	20	S420
	17.8	527.7	107	S460
	19	562.7	45	S420
	21.2	626.7	78	S460
	24.6	725.2	3	S460
1222	34.6	1013.1	7	S460
1236	25.4	758.3	17	L450

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
1253	15.6	476.0	3	L415
1321	9.8	316.9	13	L485
	10.1	326.5	9	L485
1337	16.8	546.9	9	L360
1400	18	613.4	435	S355G7
	25	847.7	346	S355G7
1420	15.7	543.7	208	S460,S235
	16	554.0	321	S355
	16.8	581.3	11	S460
	18	622.3	12	S460
	18.7	646.2	61	X70,S460
	20	690.5	16	S355
	21.6	744.9	298	S460
	21.7	748.3	149	S460
	23	792.4	21	S460
	25.8	887.0	22	S460

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
1420	27.7	951.1	23	S460
	30	1028.3	33	S460
	32	1095.3	67	S460
	37.9	1291.7	12	S460
1422	16	554.8	17	X70
	16.4	568.5	156	X70
	17.5	606.1	3	X60
	22.2	766.3	8	X70, L450, S460
	22.4	773.1	12	S460
	23.7	817.2	33	L450
1626	16.8	666.7	43	X70
	17	674.5	72	S355
	17.5	694.1	12	X60
	19	752.9	11	S355
1829	22	980.3	30	S355
2032	22	1090.5	81	S355

Diameter (OD - mm)	Wall thk (mm)	Weight (kg/m)	Qty (linear m)	Grades Available
2032	25	1237.3	19	X70
2134	22.2	1156.1	76	L355
	25.4	1320.8	57	L355
2235	22	1200.6	8	S355
	25	1362.5	204	S355
2250	32	1750.3	99	S355G7
2300	40	2229.3	7	S355

# Contact

Contact our experienced and knowledgeable team



## UK Sales Team

David Rodgers +44 (0) 1845 444187  
david.rodgers@cleveland-steel.com

Lucy Cree +44 (0) 1845 444196  
lucy@cleveland-steel.com

Tracey Ashton +44 (0) 1845 444172  
tracey@cleveland-steel.com

Denise Tribe +44 (0) 1845 444171  
denise@cleveland-steel.com

John Shea +44 (0) 1845 444174  
john@cleveland-steel.com

Simon Armit +44 (0) 1845 444195  
simon@cleveland-steel.com

## European & International Sales

James McBride +44 (0) 1845 444199  
james@cleveland-steel.com

## Purchasing

purchasing@cleveland-steel.com

## Business Development

busdev@cleveland-steel.com

## General enquiries

sales@cleveland-steel.com  
Tel: +44 (0) 1845 577789

*All stock information is correct at time of going to print. Always check with our sales team for current stock availability. Weight per linear metre is rounded to one decimal place.*

E&OE (Errors and omissions excepted).

## Cleveland Steel & Tubes Ltd

Dalton Industrial Estate, Thirsk,  
North Yorkshire, YO7 3JN, United Kingdom.

Telephone: +44 (0) 1845 577789

[cleveland-steel.com](http://cleveland-steel.com)

